




electrical installation systems



The Italian products 



FAST CATALOGUE

I N D E X

TRUNKING SYSTEMS

1	MINITRUNKING SYSTEMS	6
2	CABLE TRUNKING SYSTEMS	8
3	SKIRTING BOARD AND WALL TRUNKING SYSTEMS	13
4	TRUNKING SYSTEMS FOR AIR CONDITIONING INSTALLATION	14
5	SLOTTED TRUNKINGS	15




1




2



3




4



5

INDUSTRIAL PLUGS AND SOCKETS - DISTRIBUTION BOARDS

1	INDUSTRIAL PLUGS AND SOCKETS	20
2	SAFETY SWITCHES	30
3	DISTRIBUTION BOARDS	32



1



2




3

WALL AND FLUSH MOUNTING DISTRIBUTION ENCLOSURES

1	SURFACE MOUNTING POLYESTER BOARDS	37
2	MODULAR DISTRIBUTION ENCLOSURES	42
3	WALL MOUNTING JUNCTION BOXES	50
4	FLUSH MOUNTING JUNCTION BOXES	54



1



2




3



4

CONDUIT SYSTEMS AND ACCESSORIES

1	RIGID, PLIABLE AND FLEXIBLE SPIRAL CONDUITS	58
2	ACCESSORIES FOR CONDUIT SYSTEMS, FIXING SYSTEMS	62
3	IP67 ACCESSORIES FOR RIGID CONDUIT "SECURITY SYSTEM"	64
4	CABLE GLANDS, CABLE TIES, TERMINAL BLOCKS	67



1



2



3



4

AN ITALIAN COMPANY

We believe in an entrepreneurial project begun over 40 years ago, in which we have been investing resources, energy, time, skills and enthusiasm to grow a healthy and productive enterprise. From our partners we demand the same conviction so as to create the necessary synergy to make "good business" together. We offer our customers the result of a work carried out with care and commonsense; our range is composed of quality products, manufactured in Italy by using technical and skilled manpower and respecting a social and environmental logic, which, we trust, could be useful for our future.

Our sales manager are efficient, always at customers' disposal so as to consider any cooperation opportunity and to reply to their specific enquiries and queries with professional competence. We can proudly say that EC brand is present in over 70 countries worldwide with importers, distributors and qualified dealers.

ELETTROCANALI S.p.A.

HEADQUARTERS, EXPORT DEPARTMENT, PRODUCTION FACILITIES, LOGISTICS CENTRE (NORTHERN ITALY)

Via Generale C.A. Dalla Chiesa, 18 - 24020 Scanzorosciate (BG)
Tel. +39 035 665077/668264 - Fax +39 035 655475/6590705
info@elettrocantali.com

PRODUCTION FACILITIES, LOGISTIC CENTRE (SOUTHERN ITALY)

Via Pianodardine, 16/B - 83100 Avellino (AV)
Tel. +39 0825 624128/9 - Fax +39 0825 622223
info@elettrocantali-av.com

PRODUCTION FACILITIES, R&D

Via Levata, 40 - 24066 Pedrengo (BG)

PRODUCTION FACILITIES

Via Camerano, 63 - 60027 Osimo - Loc. Osimo stazione (AN)

ELETTROCANALI FRANCE Sàrl

Vie De Boussieu - Ruy-Montceau, BP 90244
38305 Bourgoin-Jallieu Cedex (F)
Tel. +33 (0)474 280588 - Fax +33 (0)474 280883
elettrocantali.france@elettrocantali.com

ELETTROCANALI IBERICA SYSTEMAS Y COMPONENTES S.L.

@ Sant Cugat Business Park
Av. Via Augusta 15-25
08174 Sant Cugat del Vallès (E)
Tel: +34 93 1514 693
ventas@elettrocantali.com



Moulding department



Extrusion department for trunkings



Extrusion department for pliable conduits



Extrusion department for rigid conduits

NEWS

IP65 SAFETY SWITCHES - SHUNTING SWITCHES

Boxes made of shock resistant halogen free technopolymer on ABS base

Knob padlock (3 padlock)
Lock in position "ON"

Nominal current:
- 16/20/32/40A
- 63/80/100A

Available with 2-3-4 poles

Earth and neutral through terminal blocks

Double insulation and screw cover caps included



Boxes made of RAL7035 painted cast aluminum

Knob padlock (3 padlock)
Lock in position "ON"

Nominal current:
- 16/32A
- 63/80/100A

Available with 3-4 poles

Earth and neutral through terminal blocks

Conditional rated short circuit with stand current: 10kA

IP40 - IP55 WALL MOUNTING BOXES FOR MYLIFE® DEVICE

Boxes made of shock resistant halogen free technopolymer on ABS base

Suitable for MYLIFE electrical devices or similar

Available for 1-2-3-4-6 devices



New door opening system

Ready to house Ø 20 mm conduits

IP55 with protection door with soft transparent heart

TRUNKING SYSTEMS




1 2

**MINITRUNKING SYSTEMS
CABLE TRUNKING SYSTEMS**




3

SKIRTING BOARD AND WALL TRUNKING SYSTEMS



4

**TRUNKING SYSTEMS FOR AIR CONDITIONING
INSTALLATION**



5

SLOTTED TRUNKINGS


TECHNICAL SPECIFICATION

Externally grooved bottom for a fast fixing by glues or silicone adhesives

Wrap-around cover without sharp edges, functional modern design

In the trunkings with wrap-around cover the lid can be removed only by a proper tool

The particular form makes the most of the inner room and permits to unify the accessories



Perforated bottom for a quicker and more precise installation

The minitrunkings can have 1,2 or 3 internal compartments for any distribution need

The bottom of the wrap-around trunkings has got a spacing profile for the installation in the corner

Accessories for change of direction for any installation need

Fully made of self-extinguishing technopolymer on PVC base and available in white RAL 9001 or, on request, in grey RAL 7030 and brown RAL 8014, the minitrunkings are characterized by perfectly symmetric inner compartments; they can be easily installed on the wall, as skirting board and also in the corner, thanks to the spacing profile (in the version with wrap-around cover), which keeps the trunking distant enough from the wall, so that the cover can be set without any problem.

The wide range of minitrunkings MC and MCA with standard or wrap-around covers is composed of 23 different dimensions and

types, with an inner splitting with 1, 2 or 3 sections. The perfectly separated compartments permit to put, in the same trunking, the wires of different electric circuits: power, phone, data transmission and other, without any risk of interferences or inappropriate overlapping, according to the Standard CEI 64-8.

The derivation boxes has an appropriate grid allowing to keep the cables divided. The device boxes, equipped with a blank cover, can be also used as further junction boxes.

Some sizes of the minitrunkings system are available with or without internal separator. That is an undoubted advantage for the

renovation and the widening of complex electrical systems (power, telephone, HI-FI television, SAT) without the risk of interferences.

The several accessories for the change of direction, the derivation boxes and the device boxes allow to put together a complete and functional distribution system.

The minitrunkings MC and MCA can be combined with skirting board and wall trunking system and cable trunking system, as well as the modular enclosures manufactured in the same colour as the minitrunkings, in order to fulfill the installation and renovation needs with a compact elegant functional system.

MINITRUNKINGS WITH FRONT-HOOKING COVER - SERIES MC



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC MC1517B	B	MT	dim. 15x17	100
EC MC2010B	B	MT	dim. 20x10	100
EC MC2210B-1B	B	MT	dim. 22x10	100
EC MC2210B	B	MT	dim. 22x10-2 compartments	100
EC MC2517B	B	MT	dim. 25x17	80
EC MC2525B	B	MT	dim. 25x25	100
EC MC3010-1B	B	MT	dim. 30x10	80
EC MC3010B	B	MT	dim. 30x10-2 compartments	80
EC MC4010B	B	MT	dim. 40x10	60
EC MC4017-1B	B	MT	dim. 40x17	50
EC MC4017B	B	MT	dim. 40x17-2 compartments	50
EC MC4025B	B	MT	dim. 40x25	80
EC MC5020B	B	MT	dim. 50x20	60
EC MC5020-1B	B	MT	dim. 50x20-2 compartments	60
EC MC5020-2B	B	MT	dim. 50x20-3 compartments	60
EC MC6017B	B	MT	dim. 60x17-3 compartments	70

MINITRUNKINGS WITH FRONT-HOOKING COVER - GERMAN TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC MC1515B	B	MT	dim. 15x15	100
EC MC1818B	B	MT	dim. 18x18	100
EC MC2020B	B	MT	dim. 20x20	90
EC MC3015B	B	MT	dim. 30x15	80
EC MC3030B	B	MT	dim. 30x30	80

MINITRUNKINGS WITH WRAP-AROUND COVER - SERIES MCA



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC MC1517AB	B	MT	dim. 15x17	80
EC MC2010AB	B	MT	dim. 20x10	100
EC MC2517AB	B	MT	dim. 25x17	60
EC MC2525AB	B	MT	dim. 25x25	80
EC MC3010AB	B	MT	dim. 30x10-2 compartments	80
EC MC4017AB	B	MT	dim. 40x17-2 compartments	80
EC MC4025AB	B	MT	dim. 40x25	60

SELF-ADHESIVE MINITRUNKINGS WITH HINGED COVER - SERIES MA



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC MA1010	B	MT	dim. 10x10	200
EC MA1510	B	MT	dim. 15x10	150
EC MA2010	B	MT	dim. 20x10	100
EC MA125125	B	MT	dim. 12,5x12,5	150
EC MA2075	B	MT	dim. 20x7,5	150
EC MA12575	B	MT	dim. 12,5x7,5	200


FLOOR CABLE TRUNKINGS




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CAP5012B	B	MT	dim. 50x12-3 compartments	50
EC CAP5012G	G	MT	dim. 50x12-3 compartments	50
EC CAP7517A	A	MT	dim. 75x17-3 compartments	50
EC CAP7517B	B	MT	dim. 75x17-3 compartments	50
EC CAP7517G	G	MT	dim. 75x17-3 compartments	50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


INTERNAL ANGLE FOR MINITRUNKINGS

	EC AI1517B	B	PCS	dim. 15x17	2/50
	EC AI2010B	B	PCS	dim. 20x10	2/50
	EC AI2210B	B	PCS	dim. 22x10	2/50
	EC AI2517B	B	PCS	dim. 25x17	2/50
	EC AI2525B	B	PCS	dim. 25x25	2/50
	EC AI3010B	B	PCS	dim. 30x10	2/50
	EC AI4010B	B	PCS	dim. 40x10	2/50
	EC AI4017B	B	PCS	dim. 40x17	2/50
	EC AI4025B	B	PCS	dim. 40x25	2/50
	EC AI6017B	B	PCS	dim. 60x17	2/50

EXTERNAL ANGLE FOR MINITRUNKINGS


	EC AE1517B	B	PCS	dim. 15x17	2/50
	EC AE2010B	B	PCS	dim. 20x10	2/50
	EC AE2210B	B	PCS	dim. 22x10	2/50
	EC AE2517B	B	PCS	dim. 25x17	2/50
	EC AE2525B	B	PCS	dim. 25x25	2/50
	EC AE3010B	B	PCS	dim. 30x10	2/50
	EC AE4010B	B	PCS	dim. 40x10	2/50
	EC AE4017B	B	PCS	dim. 40x17	2/50
	EC AE4025B	B	PCS	dim. 40x25	2/50
	EC AE6017B	B	PCS	dim. 60x17	2/50

FLAT ANGLE FOR MINITRUNKINGS


	EC AP1517B	B	PCS	dim. 15x17	2/50
	EC AP2010B	B	PCS	dim. 20x10	2/50
	EC AP2210B	B	PCS	dim. 22x10	2/50
	EC AP2517B	B	PCS	dim. 25x17	2/50
	EC AP2525B	B	PCS	dim. 25x25	2/50
	EC AP3010B	B	PCS	dim. 30x10	2/50
	EC AP4010B	B	PCS	dim. 40x10	2/50
	EC AP4017B	B	PCS	dim. 40x17	2/50
	EC AP4025B	B	PCS	dim. 40x25	2/50
	EC AP6017B	B	PCS	dim. 60x17	2/50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


STRAIGHT JOINT FOR MINITRUNKINGS

	EC GU1517B	B	PCS	dim. 15x17	2/50
	EC GU2010B	B	PCS	dim. 20x10	2/50
	EC GU2210B	B	PCS	dim. 22x10	2/50
	EC GU2517B	B	PCS	dim. 25x17	2/50
	EC GU2525B	B	PCS	dim. 25x25	2/50
	EC GU3010B	B	PCS	dim. 30x10	2/50
	EC GU4010B	B	PCS	dim. 40x10	2/50
	EC GU4017B	B	PCS	dim. 40x17	2/50
	EC GU4025B	B	PCS	dim. 40x25	2/50
	EC GU6017B	B	PCS	dim. 60x17	2/50

T JOINT FOR MINITRUNKINGS

	EC T1517B	B	PCS	dim. 15x17	2/50
	EC T2010B	B	PCS	dim. 20x10	2/50
	EC T2210B	B	PCS	dim. 22x10	2/50
	EC T2517B	B	PCS	dim. 25x17	2/50
	EC T2525B	B	PCS	dim. 25x25	2/50
	EC T3010B	B	PCS	dim. 30x10	2/50
	EC T4010B	B	PCS	dim. 40x10	2/50
	EC T4017B	B	PCS	dim. 40x17	2/50
	EC T4025B	B	PCS	dim. 40x25	2/50
	EC T6017B	B	PCS	dim. 60x17	2/50

END CAP FOR MINITRUNKINGS

	EC TT1517B	B	PCS	dim. 15x17	2/50
	EC TT2010B	B	PCS	dim. 20x10	2/50
	EC TT2210B	B	PCS	dim. 22x10	2/50
	EC TT2517B	B	PCS	dim. 25x17	2/50
	EC TT2525B	B	PCS	dim. 25x25	2/50
	EC TT3010B	B	PCS	dim. 30x10	2/50
	EC TT4010B	B	PCS	dim. 40x10	2/50
	EC TT4017B	B	PCS	dim. 40x17	2/50
	EC TT4025B	B	PCS	dim. 40x25	2/50
	EC TT6017B	B	PCS	dim. 60x17	2/50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

3-MODULE WALL ADAPTOR BOX
83,5 mm
CENTRE HOLE




EC SPA70B B PCS for all minitrunkings 1/50

4-MODULE WALL ADAPTOR BOX
108,5 mm
CENTRE HOLE



EC SPA80B B PCS for all minitrunkings 1/35

6-MODULE WALL ADAPTOR BOX
100 mm
CENTRE HOLE



EC SPA90B B PCS for all minitrunkings 1/24

WALL ADAPTOR BOX
60/67 mm
CENTRE HOLE



EC SPA60B B PCS for all minitrunkings 1/25

3-MODULE BOX COVER 83,5 mm
CENTRE HOLE



EC CPB B PCS for SPA70B and similar 5/50

WALL ADAPTOR BOX FOR FRENCH STANDARD
45x45 mm



EC SPA45B B PCS for minitrunkings 22x10 and 30x10 1/30

SEPARATION AND DERIVATION BOX



EC SSB1 B PCS for all minitrunkings 1/25

WALL ADAPTOR BOX FOR MAGIC TYPE DEVICE




EC SM0 B PCS blank 30
EC SM1 B PCS 1 device 30
EC SM2 B PCS 2 device 30

CABLE TRUNKINGS WITH COVER SERIES CP - WHITE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CP2540B	B	MT	dim. 25x40	100
EC CP2560B	B	MT	dim. 25x60	70
EC CP2580B	B	MT	dim. 25x80	56
EC CP4040B	B	MT	dim. 40x40	70
EC CP4060B	B	MT	dim. 40x60	56
EC CP4080B	B	MT	dim. 40x80	40
EC CP40100B	B	MT	dim. 40x100	32
EC CP6040B	B	MT	dim. 60x40	50
EC CP6060B	B	MT	dim. 60x60	32
EC CP6080B	B	MT	dim. 60x80	36
EC CP60100B	B	MT	dim. 60x100	24
EC CP8040B	B	MT	dim. 80x40-ready 2 sep.	40
EC CP8060B	B	MT	dim. 80x60-ready 2 sep.	28
EC CP8080B	B	MT	dim. 80x80-ready 2 sep.	30
EC CP80100B	B	MT	dim. 80x100-ready 2 sep.	24
EC CP10040B	B	MT	dim. 100x40-ready 2 sep.	28
EC CP10060B	B	MT	dim. 100x60-ready 2 sep.	20
EC CP10080B	B	MT	dim. 100x80-ready 2 sep.	24
EC CP100100B	B	MT	dim. 100x100-ready 2 sep.	16
EC CP12040B	B	MT	dim. 120x40-ready 2 sep.	24
EC CP12060B	B	MT	dim. 120x60-ready 2 sep.	20
EC CP12080B	B	MT	dim. 120x80-ready 2 sep.	16
EC CP15060B	B	MT	dim. 150x60-ready 4 sep.	16
EC CP20060B	B	MT	dim. 200x60-ready 4 sep.	16
EC CP20080B	B	MT	dim. 200x80-ready 4 sep.	12

CABLE TRUNKINGS WITH COVER SERIES CP - GREY



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CP2540G	G	MT	dim. 25x40	100
EC CP2560G	G	MT	dim. 25x60	70
EC CP2580G	G	MT	dim. 25x80	56
EC CP4040G	G	MT	dim. 40x40	70
EC CP4060G	G	MT	dim. 40x60	56
EC CP4080G	G	MT	dim. 40x80	40
EC CP40100G	G	MT	dim. 40x100	32
EC CP6040G	G	MT	dim. 60x40	50
EC CP6060G	G	MT	dim. 60x60	32
EC CP6080G	G	MT	dim. 60x80	36
EC CP60100G	G	MT	dim. 60x100	24
EC CP8040G	G	MT	dim. 80x40-ready 2 sep.	40
EC CP8060G	G	MT	dim. 80x60-ready 2 sep.	28
EC CP8080G	G	MT	dim. 80x80-ready 2 sep.	30
EC CP80100G	G	MT	dim. 80x100-ready 2 sep.	24
EC CP10040G	G	MT	dim. 100x40-ready 2 sep.	28
EC CP10060G	G	MT	dim. 100x60-ready 2 sep.	20
EC CP10080G	G	MT	dim. 100x80-ready 2 sep.	24
EC CP100100G	G	MT	dim. 100x100-ready 2 sep.	16
EC CP12040G	G	MT	dim. 120x40-ready 2 sep.	24
EC CP12060G	G	MT	dim. 120x60-ready 2 sep.	20
EC CP12080G	G	MT	dim. 120x80-ready 2 sep.	16
EC CP15060G	G	MT	dim. 150x60-ready 4 sep.	16
EC CP20060G	G	MT	dim. 200x60-ready 4 sep.	16
EC CP20080G	G	MT	dim. 200x80-ready 4 sep.	12

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INTERNAL ANGLE FOR TRUNKINGS



EC AI4040B	B	PCS	dim. 40x40	2/50
EC AI6040B	B	PCS	dim. 60x40	2/50
EC AI6060B	B	PCS	dim. 60x60	10
EC AI8040B	B	PCS	dim. 80x40	10
EC AI8060B	B	PCS	dim. 80x60	10
EC AI8080B	B	PCS	dim. 80x80	10
EC AI10040B	B	PCS	dim. 100x40	10
EC AI10060B	B	PCS	dim. 100x60	10
EC AI10080B	B	PCS	dim. 100x80	10
EC AI12040B	B	PCS	dim. 120x40	10
EC AI12060B	B	PCS	dim. 120x60	10
EC AI12080B	B	PCS	dim. 120x80	10
EC AI15060B	B	PCS	dim. 150x60	8
EC AI20060B	B	PCS	dim. 200x60	5
EC AI20080B	B	PCS	dim. 200x80	5

EXTERNAL ANGLE FOR TRUNKINGS



EC AE4040B	B	PCS	dim. 40x40	2/50
EC AE6040B	B	PCS	dim. 60x40	2/50
EC AE6060B	B	PCS	dim. 60x60	10
EC AE8040B	B	PCS	dim. 80x40	10
EC AE8060B	B	PCS	dim. 80x60	10
EC AE8080B	B	PCS	dim. 80x80	10
EC AE10040B	B	PCS	dim. 100x40	10
EC AE10060B	B	PCS	dim. 100x60	10
EC AE10080B	B	PCS	dim. 100x80	10
EC AE12040B	B	PCS	dim. 120x40	10
EC AE12060B	B	PCS	dim. 120x60	10
EC AE12080B	B	PCS	dim. 120x80	10
EC AE15060B	B	PCS	dim. 150x60	8
EC AE20060B	B	PCS	dim. 200x60	4
EC AE20080B	B	PCS	dim. 200x80	4

FLAT ANGLE FOR TRUNKINGS



EC AP4040B	B	PCS	dim. 40x40	2/50
EC AP6040B	B	PCS	dim. 60x40	2/50
EC AP6060B	B	PCS	dim. 60x60	10
EC AP8040B	B	PCS	dim. 80x40	10
EC AP8060B	B	PCS	dim. 80x60	10
EC AP8080B	B	PCS	dim. 80x80	10
EC AP10040B	B	PCS	dim. 100x40	10
EC AP10060B	B	PCS	dim. 100x60	10
EC AP10080B	B	PCS	dim. 100x80	10
EC AP12040B	B	PCS	dim. 120x40	10
EC AP12060B	B	PCS	dim. 120x60	10
EC AP12080B	B	PCS	dim. 120x80	8
EC AP15060B	B	PCS	dim. 150x60	8
EC AP20060B	B	PCS	dim. 200x60	8
EC AP20080B	B	PCS	dim. 200x80	6


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

STRAIGHT JOINT FOR TRUNKINGS



EC GU4040B	B	PCS	dim. 40x40	2/50
EC GU6040B	B	PCS	dim. 60x40	2/50
EC GU6060B	B	PCS	dim. 60x60	20
EC GU8040B	B	PCS	dim. 80x40	20
EC GU8060B	B	PCS	dim. 80x60	20
EC GU8080B	B	PCS	dim. 80x80	20
EC GU10040B	B	PCS	dim. 100x40	20
EC GU10060B	B	PCS	dim. 100x60	20
EC GU10080B	B	PCS	dim. 100x80	20
EC GU12040B	B	PCS	dim. 120x40	20
EC GU12060B	B	PCS	dim. 120x60	10
EC GU12080B	B	PCS	dim. 120x80	10
EC GU15060B	B	PCS	dim. 150x60	10
EC GU20060B	B	PCS	dim. 200x60	10
EC GU20080B	B	PCS	dim. 200x80	10

T JOINT FOR TRUNKINGS



EC T4040B	B	PCS	dim. 40x40	2/50
EC T6040B	B	PCS	dim. 60x40	2/50
EC T6060B	B	PCS	dim. 60x60	10

END CAP FOR TRUNKINGS



ECTT4040B	B	PCS	dim. 40x40	2/50
ECTT6040B	B	PCS	dim. 60x40	2/50
ECTT6060B	B	PCS	dim. 60x60	20
ECTT8040B	B	PCS	dim. 80x40	20
ECTT8060B	B	PCS	dim. 80x60	20
ECTT8080B	B	PCS	dim. 80x80	20
ECTT10040B	B	PCS	dim. 100x40	20
ECTT10060B	B	PCS	dim. 100x60	20
ECTT10080B	B	PCS	dim. 100x80	20
ECTT12040B	B	PCS	dim. 120x40	20
ECTT12060B	B	PCS	dim. 120x60	20
ECTT12080B	B	PCS	dim. 120x80	20
ECTT15060B	B	PCS	dim. 150x60	10
ECTT20060B	B	PCS	dim. 200x60	10
ECTT20080B	B	PCS	dim. 200x80	10

SPARE COVER FOR CABLE TRUNKINGS



EC CR25B	B	MT	width 25	100
EC CR40B	B	MT	width 40	100
EC CR60B	B	MT	width 60	100
EC CR80B	B	MT	width 80	100
EC CR100B	B	MT	width 100	60
EC CR120B	B	MT	width 120	80
EC CR150B	B	MT	width 150	60
EC CR200B	B	MT	width 200	40

CABLE RETAINER FOR CABLE TRUNKINGS



EC CO4040	GC	PCS	dim. 40x40	5/25
EC CO4060	GC	PCS	dim. 40x60	5/25
EC CO4080	GC	PCS	dim. 40x80	5/25
EC CO40100	GC	PCS	dim. 40x100	5/25
EC CO6040	GC	PCS	dim. 60x40	5/25
EC CO6060	GC	PCS	dim. 60x60	5/25
EC CO6080	GC	PCS	dim. 60x80	5/25
EC CO60100	GC	PCS	dim. 60x100	5/25
EC CO8040	GC	PCS	dim. 80x40	5/25
EC CO8060	GC	PCS	dim. 80x60	5/25
EC CO8080	GC	PCS	dim. 80x80	5/25
EC CO80100	GC	PCS	dim. 80x100	5/25
EC CO10040	GC	PCS	dim. 100x40	5/25
EC CO10060	GC	PCS	dim. 100x60	5/25
EC CO10080	GC	PCS	dim. 100x80	5/25
EC CO10010	GC	PCS	dim. 100x100	5/25
EC CO12040	GC	PCS	dim. 120x40	5/25
EC CO12060	GC	PCS	dim. 120x60	5/25
EC CO12080	GC	PCS	dim. 120x80	5/25
EC CO150	GC	PCS	dim. 150	5/25
EC CO200	GC	PCS	dim. 200	5/25

SEPARATION AND DERIVATION BOX



EC SSB2	B	PCS	dim. 165x165x75	1/5
EC SSB3	B	PCS	dim. 250x250x100	1/4

KIT ADAPTOR BOX 60/67 mm CENTRE HOLE DISTANCE



EC KIT100A	B	PCS	trunking 100x60	1/10
EC KIT120A	B	PCS	trunking 120x60	1/10
EC KIT150A	B	PCS	trunking 150x60	1/5

KIT ADAPTOR BOX 83,5 mm CENTRE HOLE DISTANCE



EC KIT80B	B	PCS	trunking 80x60	1/10
EC KIT100B	B	PCS	trunking 100x60	1/10
EC KIT120B	B	PCS	trunking 120x60	1/10
EC KIT150B	B	PCS	trunking 150x60	1/5

KIT ADAPTOR BOX FOR CEE TYPE INDUSTRIAL SOCKETS



EC KIT100C	B	PCS	trunking 100x60	1/10
EC KIT120C	B	PCS	trunking 120x60	1/10
EC KIT150C	B	PCS	trunking 150x60	1/5

CABLE TRUNKINGS WITH COVER DIN DIMENSION SERIES CP




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CP5050B	B	MT	dim. 50x50	24
EC CP5050G	G	MT	dim. 50x50	24
EC CP7550B	B	MT	dim. 75x50-ready 2 sep.	40
EC CP7550G	G	MT	dim. 75x50-ready 2 sep.	40

SECTIONABLE SEPARATOR FOR CABLE TRUNKINGS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC SESB	B	MT	for H 40-60-80	50
EC SESG	G	MT	for H 40-60-80	50

HALOGEN FREE CABLE TRUNKINGS WITH COVER SERIES CPH - GREY OR WHITE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CPH2540	GC	MT	dim. 25x40	100
EC CPH2560	GC	MT	dim. 25x60	70
EC CPH2580	GC	MT	dim. 25x80	56
EC CPH4040	GC	MT	dim. 40x40	70
EC CPH4060	GC	MT	dim. 40x60	56
EC CPH4080	GC	MT	dim. 40x80	40
EC CPH6040	GC	MT	dim. 60x40	50
EC CPH6060	GC	MT	dim. 60x60	32
EC CPH6080	GC	MT	dim. 60x80	36
EC CPH8040	GC	MT	dim. 80x40	40
EC CPH8060	GC	MT	dim. 80x60	28
EC CPH8080	GC	MT	dim. 80x80	30
EC CPH10040	GC	MT	dim. 100x40	28
EC CPH10060	GC	MT	dim. 100x60	20
EC CPH10080	GC	MT	dim. 100x80	24
EC CPH12040	GC	MT	dim. 120x40	24
EC CPH12060	GC	MT	dim. 120x60	20
EC CPH12080	GC	MT	dim. 120x80	16




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC CPH2540B	B	MT	dim. 25x40	100
EC CPH2560B	B	MT	dim. 25x60	70
EC CPH2580B	B	MT	dim. 25x80	56
EC CPH4040B	B	MT	dim. 40x40	70
EC CPH4060B	B	MT	dim. 40x60	56
EC CPH4080B	B	MT	dim. 40x80	40
EC CPH6040B	B	MT	dim. 60x40	50
EC CPH6060B	B	MT	dim. 60x60	32
EC CPH6080B	B	MT	dim. 60x80	36
EC CPH8040B	B	MT	dim. 80x40	40
EC CPH8060B	B	MT	dim. 80x60	28
EC CPH8080B	B	MT	dim. 80x80	30
EC CPH10040B	B	MT	dim. 100x40	28
EC CPH10060B	B	MT	dim. 100x60	20
EC CPH10080B	B	MT	dim. 100x80	24
EC CPH12040B	B	MT	dim. 120x40	24
EC CPH12060B	B	MT	dim. 120x60	20
EC CPH12080B	B	MT	dim. 120x80	16

NEW




60x60 DEVICE INSTALLATION TRUNKING WITH COVER




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC BR11060B	B	MT	Device installation trunking - 110x60	20
EC BR13065B	B	MT	Device installation trunking - 130x65	12
EC BRC80B	B	MT	Spare cover - 80 mm	100

END CAP FOR DEVICE INSTALLATION TRUNKING




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC BR11060B	B	PCS	End cap - dim. 110x60	10
EC BR13065B	B	PCS	End cap - dim. 130x65	10

INTERNAL ANGLE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC BRAI110B	B	PCS	Internal angle 110x60	1
EC BRAI130B	B	PCS	Internal angle 130x65	1

EXTERNAL ANGLE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC BRAE110B	B	PCS	External angle 110x60	1
EC BRAE130B	B	PCS	External angle 130x65	1

ADAPTOR BOX 60 mm CENTRE HOLE DISTANCE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC BRS1	B	PCS	Adaptor box 60 mm 1 module - 71x71x50	10
EC BRS2	B	PCS	Adaptor box 60 mm 2 modules - 142x71x50	10

The boxes BRS1 and BRS2 can be mounted on both trunkings and are suitable to be joined together in order to obtain a 3-gang box.

45x45 DEVICE INSTALLATION TRUNKINGS WITH COVER



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 2209055	B	MT	dim. 90x55	24
EC 22013555-2	B	MT	dim. 135x55-2 compartments	16
EC 22016555-3	B	MT	dim. 165x55-3 compartments	16


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

STRAIGHT JOINT



EC 220GU9055	B	PCS	dim. 90x55 and 135x55	10/50
EC 220GU16555	B	PCS	dim. 165x55	10/50

COVER JOINT



EC 220GC45	B	PCS	cover joint 45	5/50
-------------------	---	-----	----------------	------

COVER/DEVICE JOINT



EC 220GA45	B	PCS	vertical fixing device	5/50
-------------------	---	-----	------------------------	------

VARIABLE INTERNAL ANGLE



EC 220AI9055	B	PCS	dim. 90x55	1/10
EC 220AI13555	B	PCS	dim. 135x55	1/10
EC 220AI16555	B	PCS	dim. 165x55	1/10

VARIABLE EXTERNAL ANGLE



EC 220AE9055	B	PCS	dim. 90x55	1/10
EC 220AE13555	B	PCS	dim. 135x55	1/8
EC 220AE16555	B	PCS	dim. 165x55	1/8

FLAT ANGLE



EC 220AP9055	B	PCS	dim. 90x55	1/10
EC 220AP13555	B	PCS	dim. 135x55	1/8
EC 220AP16555	B	PCS	dim. 165x55	1/8

END CAP



EC 220TT9055	B	PCS	dim. 90x55	2/10
EC 220TT13555	B	PCS	dim. 135x55	2/10
EC 220TT16555	B	PCS	dim. 165x55	2/10



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

ADDITIONAL AND BOTTOM COVERS



EC 220CC25	B	PCS	bottom cover	50
EC 220CC45	B	MT	additional cover	50


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SEPARATION AND DERIVATION BOX



EC SSB2	B	PCS	dim. 165x165x75	1/5
EC SSB3	B	PCS	dim. 250x250x100	1/4

SKIRTING BOARD AND WALL TRUNKING 70x20 - 130x28



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 20001	B	MT	skirting board 70x20	24
EC 20101	A	MT	skirting board 70x20	24
EC 20201	B	MT	skirting board 130x28	20
EC 20301	A	MT	skirting board 130x28	20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

COMPARTMENT LID



EC 20202	B	MT	compartment lid	100
EC 20302	A	MT	compartment lid	100

VARIABLE INTERNAL ANGLE



EC 20003	B	PCS	internal angle - 70x20	5/25
EC 20103	A	PCS	internal angle - 70x20	5/25
EC 20203	B	PCS	internal angle - 130x28	5
EC 20303	A	PCS	internal angle - 130x28	5

VARIABLE EXTERNAL ANGLE



EC 20004	B	PCS	external angle - 70x20	5/25
EC 20104	A	PCS	external angle - 70x20	5/25
EC 20204	B	PCS	external angle - 130x28	5
EC 20304	A	PCS	external angle - 130x28	5

VARIABLE FLAT ANGLE



EC 20005	B	PCS	flat angle - 70x20	1/10
EC 20105	A	PCS	flat angle - 70x20	1/10
EC 20205	B	PCS	flat angle - 130x28	1/5
EC 20305	A	PCS	flat angle - 130x28	1/5

COVER STRAIGHT JOINT




EC 20006		PCS	cover joint - 70x20	5/25
EC 20106		PCS	cover joint - 70x20	5/25
EC 20206	B	PCS	cover joint - 130x28	5/20
EC 20306	A	PCS	cover joint - 130x28	5/20

END CAP



EC 20008	B	PCS	end cap - 70x20	5/25
EC 20108	A	PCS	end cap - 70x20	5/25
EC 20208	B	PCS	end cap - 130x28	5/20
EC 20308	A	PCS	end cap - 130x28	5/20

STRAIGHT JOINT



EC 20207	B	PCS	straight joint - 130x28	5/20
EC 20307	A	PCS	straight joint - 130x28	5/20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

3-WAY JUNCTION BOX 70x20

EC 20009	B	PCS	3-way junction box	1/5
EC 20109	A	PCS	3-way junction box	1/5

TOWER DEVICE BOX - 3 MODULES 70x20

EC 20010	B	PCS	tower device box - 3 mod.	1/10
EC 20110	A	PCS	tower device box - 3 mod.	1/10

TOWER DEVICE BOX - 4 MODULES 70x20

EC 20015	B	PCS	tower device box - 4 mod.	1/10
EC 20115	A	PCS	tower device box - 4 mod.	1/10

TOWER DEVICE BOX - 6 MODULES 70x20

EC 20016	B	PCS	tower device box - 6 mod.	1/8
EC 20116	A	PCS	tower device box - 6 mod.	1/8

WALL DEVICE BOX - 3 MODULES 70x20

EC 20011	B	PCS	wall device box - 3 mod.	1/10
EC 20111	A	PCS	wall device box - 3 mod.	1/10

3-WAY JUNCTION BOX 130x28

EC 20209	B	PCS	3-way junction box	1/5
EC 20309	A	PCS	3-way junction box	1/5

TOWER DEVICE BOX - 3 MODULES 130x28

EC 20210	B	PCS	tower device box - 3 mod.	1/6
EC 20310	A	PCS	tower device box - 3 mod.	1/6

TOWER DEVICE BOX - 4 MODULES 130x28

EC 20215	B	PCS	tower device box - 4 mod.	1/10
EC 20315	A	PCS	tower device box - 4 mod.	1/10

TOWER DEVICE BOX - 6 MODULES 130x28

EC 20216	B	PCS	tower device box - 6 mod.	1/10
EC 20316	A	PCS	tower device box - 6 mod.	1/10

TOWER DEVICE BOX - 8 MODULES 130x28


EC 20211	B	PCS	tower device box - 8 mod.	1/4
EC 20311	A	PCS	tower device box - 8 mod.	1/4

3/4/6-MODULE BOX COVER

EC 20212	B	PCS	3-module box cover	5/50
EC 20312	A	PCS	3-module box cover	5/50
EC 20213	B	PCS	4-module box cover	5/50
EC 20214	B	PCS	6-module box cover	5/50

DUCT FOR AIR CONDITIONING INSTALLATION

SPLIT system



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 9006040	B	MT	dim. 60x40	30
EC 9007055	B	MT	dim. 70x55	24
EC 9008060	B	MT	dim. 80x60	16
EC 9009065	B	MT	dim. 90x65	16
EC 90010060	B	MT	dim. 100x60	16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INTERNAL ANGLE



EC 9206040	B	PCS	dim. 60x40	10
EC 9207055	B	PCS	dim. 70x55	10
EC 9208060	B	PCS	dim. 80x60	10
EC 9209065	B	PCS	dim. 90x65	10
EC 92010060	B	PCS	dim. 100x60	10

EXTERNAL ANGLE



EC 9206040	B	PCS	dim. 60x40	10
EC 9207055	B	PCS	dim. 70x55	10
EC 9208060	B	PCS	dim. 80x60	10
EC 9209065	B	PCS	dim. 90x65	10
EC 92010060	B	PCS	dim. 100x60	10

FLAT ANGLE




EC 9306040	B	PCS	dim. 60x40	10
EC 9307055	B	PCS	dim. 70x55	10
EC 9308060	B	PCS	dim. 80x60	10
EC 9309065	B	PCS	dim. 90x65	10
EC 93010060	B	PCS	dim. 100x60	10

STRAIGHT JOINT



EC 9406040	B	PCS	dim. 60x40	20
EC 9407055	B	PCS	dim. 70x55	20
EC 9408060	B	PCS	dim. 80x60	20
EC 9409065	B	PCS	dim. 90x65	20
EC 94010060	B	PCS	dim. 100x60	20

T JOINT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

EC 9506040	B	PCS	dim. 60x40	10
EC 9507055	B	PCS	dim. 70x55	10
EC 9508060	B	PCS	dim. 80x60	10
EC 9509065	B	PCS	dim. 90x65	10
EC 95010060	B	PCS	dim. 100x60	10

END CAP



EC 9606040	B	PCS	dim. 60x40	20
EC 9607055	B	PCS	dim. 70x55	20
EC 9608060	B	PCS	dim. 80x60	20
EC 9609065	B	PCS	dim. 90x65	20
EC 96010060	B	PCS	dim. 100x60	20

WALL THROUGH STRAIGHT JOINT



EC 9706040	B	PCS	dim. 60x40	20
EC 9707055	B	PCS	dim. 70x55	20
EC 9708060	B	PCS	dim. 80x60	20
EC 9709065	B	PCS	dim. 90x65	20
EC 97010060	B	PCS	dim. 100x60	20

WALL TROUGH BENT JOINT



EC 9806040	B	PCS	dim. 60x40	10
EC 9807055	B	PCS	dim. 70x55	10
EC 9808060	B	PCS	dim. 80x60	10
EC 9809065	B	PCS	dim. 90x65	10
EC 98010060	B	PCS	dim. 100x60	10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

CONDUIT RETAINER

EC 9036040	B	PCS	dim. 60x40	30
EC 9037055	B	PCS	dim. 70x55	30
EC 9038060	B	PCS	dim. 80x60	30
EC 9039065	B	PCS	dim. 90x65	30

EXTERNAL COOLING UNIT FLOOR SUPPORT

EC 90401	B	PCS	dim. 90x80x350	24
EC 90402	B	PCS	dim. 90x80x450	24
EC 90403	B	PCS	end cap 90x80	24
EC 90411	B	PCS	dim. 105x75x420	24

UNIVERSAL FITTING FOR CONDENSATE DRAINING CONDUIT

EC 901Y	B	PCS	Ø 16/18/20	20
----------------	---	-----	------------	----


ARRANGEMENT BOX FOR CONDENSATE DRAINING

EC 90201	B	PCS	540x130x65 mm	1/20
-----------------	---	-----	---------------	------

FLEXIBLE SPIRAL CONDUIT FOR CONDENSATE DRAINING


EC 990GFE16	B	MT	Ø 16/20,2	30/4050
EC 990GFE18	B	MT	Ø 18/22,2	30/3360
EC 990GFE20	B	MT	Ø 20/24,2	30/3360

SLOTTED TRUNKINGS WITH COVER 8/12/8 TYPE




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC A2525	G	MT	dim. 25x25	100
EC A2540	G	MT	dim. 25x40	100
EC A2560	G	MT	dim. 25x60	70
EC A2580	G	MT	dim. 25x80	56
EC A4025	G	MT	dim. 40x25	80
EC A4040	G	MT	dim. 40x40	70
EC A4060	G	MT	dim. 40x60	56
EC A4080	G	MT	dim. 40x80	40
EC A40100	G	MT	dim. 40x100	32
EC A6040	G	MT	dim. 60x40	50
EC A6060	G	MT	dim. 60x60	32
EC A6080	G	MT	dim. 60x80	36
EC A60100	G	MT	dim. 60x100	24
EC A8040	G	MT	dim. 80x40-ready 2 sep.	40
EC A8060	G	MT	dim. 80x60-ready 2 sep.	28
EC A8080	G	MT	dim. 80x80-ready 2 sep.	30
EC A80100	G	MT	dim. 80x100-ready 2 sep.	24
EC A10040	G	MT	dim. 100x40-ready 2 sep.	28
EC A10060	G	MT	dim. 100x60-ready 2 sep.	20
EC A10080	G	MT	dim. 100x80-ready 2 sep.	24
EC A100100	G	MT	dim. 100x100-ready 2 sep.	16
EC A12040	G	MT	dim. 120x40-ready 2 sep.	24
EC A12060	G	MT	dim. 120x60-ready 2 sep.	20
EC A12080	G	MT	dim. 120x80-ready 2 sep.	16

SLOTTED TRUNKINGS WITH COVER 4/6/4 TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC S2525	G	MT	dim. 25x25	100
EC S2540	G	MT	dim. 25x40	100
EC S2560	G	MT	dim. 25x60	70
EC S2580	G	MT	dim. 25x80	56
EC S4025	G	MT	dim. 40x25	80
EC S4040	G	MT	dim. 40x40	70
EC S4060	G	MT	dim. 40x60	56
EC S4080	G	MT	dim. 40x80	40
EC S40100	G	MT	dim. 40x100	32
EC S6040	G	MT	dim. 60x40	50
EC S6060	G	MT	dim. 60x60	32
EC S6080	G	MT	dim. 60x80	36
EC S60100	G	MT	dim. 60x100	24
EC S8040	G	MT	dim. 80x40-ready 2 sep.	40
EC S8060	G	MT	dim. 80x60-ready 2 sep.	28
EC S8080	G	MT	dim. 80x80-ready 2 sep.	30
EC S80100	G	MT	dim. 80x100-ready 2 sep.	24
EC S10040	G	MT	dim. 100x40-ready 2 sep.	28
EC S10060	G	MT	dim. 100x60-ready 2 sep.	20
EC S10080	G	MT	dim. 100x80-ready 2 sep.	24
EC S100100	G	MT	dim. 100x100-ready 2 sep.	16
EC S12040	G	MT	dim. 120x40-ready 2 sep.	24
EC S12060	G	MT	dim. 120x60-ready 2 sep.	20
EC S12080	G	MT	dim. 120x80-ready 2 sep.	16

FLEXIBLE SLOTTED TRUNKINGS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 23401	G	PCS	12,5x12,5x500	112
EC 23402	G	PCS	16x16x500	84
EC 23403	G	PCS	20x20x500	112
EC 23404	G	PCS	25x25x500	70
EC 23405	G	PCS	30x30x500	50
EC 23406	G	PCS	40x40x500	50
EC 23407	G	PCS	50x50x500	32
EC 23411	G	PCS	12,5x12,5x500 - self-adhesive	112
EC 23412	G	PCS	16x16x500 - self-adhesive	84
EC 23413	G	PCS	20x20x500 - self-adhesive	112
EC 23414	G	PCS	25x25x500 - self-adhesive	70
EC 23415	G	PCS	30x30x500 - self-adhesive	50
EC 23416	G	PCS	40x40x500 - self-adhesive	50
EC 23417	G	PCS	50x50x500 - self-adhesive	32

PRE-CUT TRUNKING FOR CONDUIT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC P5050	G	MT	dim. 50x50-Ø9-23	24
EC P7550	G	MT	dim. 75x50-Ø9-23	40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SPARE COVER FOR SLOTTED TRUNKINGS

EC CR25G	G	MT	width 25	100
EC CR40G	G	MT	width 40	100
EC CR60G	G	MT	width 60	100
EC CR80G	G	MT	width 80	100
EC CR100G	G	MT	width 100	60
EC CR120G	G	MT	width 120	80

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SECTIONABLE SEPARATOR FOR SLOTTED TRUNKINGS

EC SESG	G	MT	for H 40-60-80	50
----------------	---	----	----------------	----

DIN RAILS EN 50022

EC 460	PCS		35x7,5x1 - 2 mt	20
EC 46015	PCS		35x15x1,5 - 2 mt	20
EC 460F	PCS		35x7,5x1 - 2 mt perforated	20

CUTTING MACHINE FOR TRUNKINGS

EC ADC	PCS		hand cutting machine cut dimensions W=120 - H=120	1
---------------	-----	--	---	---


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

CABLE RETAINER FOR SLOTTED TRUNKINGS

EC CO4040	GC	PCS	dim. 40x40	5/25
EC CO4060	GC	PCS	dim. 40x60	5/25
EC CO4080	GC	PCS	dim. 40x80	5/25
EC CO40100	GC	PCS	dim. 40x100	5/25
EC CO6040	GC	PCS	dim. 60x40	5/25
EC CO6060	GC	PCS	dim. 60x60	5/25
EC CO6080	GC	PCS	dim. 60x80	5/25
EC CO60100	GC	PCS	dim. 60x100	5/25
EC CO8040	GC	PCS	dim. 80x40	5/25
EC CO8060	GC	PCS	dim. 80x60	5/25
EC CO8080	GC	PCS	dim. 80x80	5/25
EC CO80100	GC	PCS	dim. 80x100	5/25
EC CO10040	GC	PCS	dim. 100x40	5/25
EC CO10060	GC	PCS	dim. 100x60	5/25
EC CO10080	GC	PCS	dim. 100x80	5/25
EC CO100100	GC	PCS	dim. 100x100	5/25
EC CO12040	GC	PCS	dim. 120x40	5/25
EC CO12060	GC	PCS	dim. 120x60	5/25
EC CO12080	GC	PCS	dim. 120x80	5/25

NEW KIND!

HALOGEN FREE SLOTTED TRUNKING WITH COVER 4/6/4 TYPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC SH2540	GC	MT	dim. 25x40	100
EC SH2560	GC	MT	dim. 25x60	70
EC SH2580	GC	MT	dim. 25x80	56
EC SH4040	GC	MT	dim. 40x40	70
EC SH4060	GC	MT	dim. 40x60	56
EC SH4080	GC	MT	dim. 40x80	40
EC SH6040	GC	MT	dim. 60x40	50
EC SH6060	GC	MT	dim. 60x60	32
EC SH6080	GC	MT	dim. 60x80	36
EC SH8040	GC	MT	dim. 80x40	40
EC SH8060	GC	MT	dim. 80x60	28
EC SH8080	GC	MT	dim. 80x80	30
EC SH10040	GC	MT	dim. 100x40	28
EC SH10060	GC	MT	dim. 100x60	20
EC SH10080	GC	MT	dim. 100x80	24
EC SH12040	GC	MT	dim. 120x40	24
EC SH12060	GC	MT	dim. 120x60	20
EC SH12080	GC	MT	dim. 120x80	16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SPARE COVER FOR HALOGEN FREE SLOTTED TRUNKINGS



EC CR25HG	GC	MT	width 25	100
EC CR40HG	GC	MT	width 40	100
EC CR60HG	GC	MT	width 60	100
EC CR80HG	GC	MT	width 80	100
EC CR100HG	GC	MT	width 100	60
EC CR120HG	GC	MT	width 120	80

SPIRAL WRAP IN TRANSPARENT POLYTHENE



EC P1.5		MT	internal Ø 1,5	25/500
EC P03		MT	internal Ø 3	25/500
EC P04		MT	internal Ø 4	25/500
EC P06		MT	internal Ø 6	25/300
EC P08		MT	internal Ø 8	25/400
EC P10		MT	internal Ø 10	25/200
EC P12		MT	internal Ø 12	20/160
EC P14		MT	internal Ø 14	20/160

SPIRAL WRAP IN BLACK POLYTHENE



EC PN1.5		MT	internal Ø 1,5	25/500
EC PN03		MT	internal Ø 3	25/500
EC PN04		MT	internal Ø 4	25/500
EC PN06		MT	internal Ø 6	25/300
EC PN08		MT	internal Ø 8	25/400
EC PN10		MT	internal Ø 10	25/200
EC PN12		MT	internal Ø 12	20/160
EC PN14		MT	internal Ø 14	20/160

SPIRAL WRAP IN SELF-EXTINGUISHING POLYTHENE



EC PA1.5		MT	internal Ø 1,5	25/500
EC PA03		MT	internal Ø 3	25/500
EC PA04		MT	internal Ø 4	25/500
EC PA06		MT	internal Ø 6	25/300
EC PA08		MT	internal Ø 8	25/400
EC PA10		MT	internal Ø 10	25/200
EC PA12		MT	internal Ø 12	20/160
EC PA14		MT	internal Ø 14	20/160



INDUSTRIAL SYSTEMS



1

INDUSTRIAL PLUGS AND SOCKETS



2


DISTRIBUTION BOARDS



3

SAFETY SWITCHES

TECHNICAL SPECIFICATION



The sockets and the plugs of the Series 690 are very quick to open, cable and close thanks to their ergonomic design combined with some up-dated technical solutions.

They are entirely made up of UV-resistant self-extinguishing polyamide 6 and are particularly suitable for outdoor uses thanks to their high resistance to compression, shocks and crushes that can occur, for example, on

construction sites.

The contacts are made of brass alloy with high conductivity of 15 m/(Ohm mm²) and the conductive parts of the 63A/125A sockets have got a spring device made up of copper-beryllium alloy which guarantees a better contact and prevents from corrosion.

The IP protection degree and the the cable locking are carried out through the tulip-shaped one-

piece device made of two different types of polymer, which are co-moulded: it is simply necessary to insert the cable and tighten the nut until it locks.

The cable gland is characterized by a special unscrewing device that prevents from any accidental release of the clamp; besides it doesn't get lost during the wiring operations.

STRAIGHT PLUGS EN 60309 - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 470		PCS	2P-20-25V	10/80
EC 69 471		PCS	3P-20-25V	10/80
EC 69 170		PCS	2P+⊕-100-130V	10/80
EC 69 171		PCS	3P+⊕-100-130V	10/80
EC 69 070		PCS	2P+⊕-200-250V	10/80
EC 69 270		PCS	3P+⊕-200-250V	10/80
EC 69 271		PCS	3P+N+⊕-208-250V	10/80
EC 69 072		PCS	3P+⊕-380-415V	10/80
EC 69 074		PCS	3P+N+⊕-346-415V	10/80

STRAIGHT PLUGS EN 60309 - IP44 - 32A

EC 69 172		PCS	2P+⊕-100-130V	10/80
EC 69 173		PCS	3P+⊕-100-130V	10/80
EC 69 272		PCS	2P+⊕-200-250V	10/80
EC 69 273		PCS	3P+⊕-200-250V	10/80
EC 69 076		PCS	3P+⊕-380-415V	10/80
EC 69 078		PCS	3P+N+⊕-346-415V	10/60

STRAIGHT PLUGS EN 60309 - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 472		PCS	2P-20-25V	10/80
EC 69 473		PCS	3P-20-25V	10/60
EC 69 174		PCS	2P+⊕-100-130V	10/80
EC 69 175		PCS	3P+⊕-100-130V	10/60
EC 69 071		PCS	2P+⊕-200-250V	10/80
EC 69 274		PCS	3P+⊕-200-250V	10/60
EC 69 275		PCS	3P+N+⊕-208-250V	10/40
EC 69 073		PCS	3P+⊕-380-415V	10/60
EC 69 075		PCS	3P+N+⊕-346-415V	10/60

STRAIGHT PLUGS EN 60309 - IP67 - 32A

EC 69 176		PCS	2P+⊕-100-130V	10/40
EC 69 177		PCS	3P+⊕-100-130V	10/40
EC 69 276		PCS	2P+⊕-200-250V	10/40
EC 69 277		PCS	3P+⊕-200-250V	10/40
EC 69 077		PCS	3P+⊕-380-415V	10/40
EC 69 079		PCS	3P+N+⊕-346-415V	10/40

STRAIGHT PLUGS EN 60309 - IP67 - 63A

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 278		PCS	2P+⊕-200-250V	2/16
EC 69 279		PCS	3P+⊕-200-250V	2/16
EC 69 370		PCS	3P+⊕-380-415V	2/16
EC 69 371		PCS	3P+N+⊕-346-415V	2/16

STRAIGHT PLUGS EN 60309 - IP67 - 125A

EC 69 671		PCS	2P+⊕-200-250V	2/8
EC 69 674		PCS	3P+⊕-200-250V	2/8
EC 69 673		PCS	3P+⊕-380-415V	2/8
EC 69 675		PCS	3P+N+⊕-346-415V	2/8

STRAIGHT SOCKETS EN 60309 - IP44 - 16A


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 480		PCS	2P-20-25V	10/80
EC 69 481		PCS	3P-20-25V	10/80
EC 69 180		PCS	2P+⊕-100-130V	10/80
EC 69 181		PCS	3P+⊕-100-130V	10/80
EC 69 080		PCS	2P+⊕-200-250V	10/80
EC 69 280		PCS	3P+⊕-200-250V	10/80
EC 69 281		PCS	3P+N+⊕-208-250V	10/80
EC 69 082		PCS	3P+⊕-380-415V	10/80
EC 69 084		PCS	3P+N+⊕-346-415V	10/80

STRAIGHT SOCKETS EN 60309 - IP44 - 32A

EC 69 182		PCS	2P+⊕-100-130V	10/60
EC 69 183		PCS	3P+⊕-100-130V	10/60
EC 69 282		PCS	2P+⊕-200-250V	10/60
EC 69 283		PCS	3P+⊕-200-250V	10/60
EC 69 086		PCS	3P+⊕-380-415V	10/60
EC 69 088		PCS	3P+N+⊕-346-415V	10/40

STRAIGHT SOCKETS EN 60309 - IP67 - 16A


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 482		PCS	2P-20-25V	10/80
EC 69 483		PCS	3P-20-25V	10/60
EC 69 184		PCS	2P+⊕-100-130V	10/80
EC 69 185		PCS	3P+⊕-100-130V	10/60
EC 69 081		PCS	2P+⊕-200-250V	10/80
EC 69 284		PCS	3P+⊕-200-250V	10/60
EC 69 285		PCS	3P+N+⊕-208-250V	10/40
EC 69 083		PCS	3P+⊕-380-415V	10/60
EC 69 085		PCS	3P+N+⊕-346-415V	10/40

STRAIGHT SOCKETS EN 60309 - IP67 - 32A

EC 69 186		PCS	2P+⊕-100-130V	10/60
EC 69 187		PCS	3P+⊕-100-130V	10/60
EC 69 286		PCS	2P+⊕-200-250V	10/60
EC 69 287		PCS	3P+⊕-200-250V	10/60
EC 69 087		PCS	3P+⊕-380-415V	10/40
EC 69 089		PCS	3P+N+⊕-346-415V	10/40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
STRAIGHT SOCKETS EN 60309 - IP67 - 63A				
EC 69 288		PCS	2P+⊕-200-250V	2/16
EC 69 289		PCS	3P+⊕-200-250V	2/16
EC 69 380		PCS	3P+⊕-380-415V	2/16
EC 69 381		PCS	3P+N+⊕-346-415V	2/16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
STRAIGHT SOCKETS EN 60309 - IP67 - 125A				
EC 69 681		PCS	2P+⊕-200-250V	2/8
EC 69 684		PCS	3P+⊕-200-250V	2/8
EC 69 683		PCS	3P+⊕-380-415V	2/8
EC 69 685		PCS	3P+N+⊕-346-415V	2/8

PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 400		PCS	2P-20-25V	10/80
EC 69 401		PCS	3P-20-25V	10/80
EC 69 100		PCS	2P+⊕-100-130V	10/80
EC 69 101		PCS	3P+⊕-100-130V	10/80
EC 69 050		PCS	2P+⊕-200-250V	10/80
EC 69 250		PCS	3P+⊕-200-250V	10/80
EC 69 251		PCS	3P+N+⊕-208-250V	10/60
EC 69 052		PCS	3P+⊕-380-415V	10/80
EC 69 054		PCS	3P+N+⊕-346-415V	10/60

PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP44 - 32A

EC 69 102		PCS	2P+⊕-100-130V	10/60
EC 69 103		PCS	3P+⊕-100-130V	10/60
EC 69 252		PCS	2P+⊕-200-250V	10/60
EC 69 253		PCS	3P+⊕-200-250V	10/60
EC 69 060		PCS	3P+⊕-380-415V	10/60
EC 69 061		PCS	3P+N+⊕-346-415V	10/60

PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 402		PCS	2P-20-25V	10/80
EC 69 403		PCS	3P-20-25V	10/80
EC 69 104		PCS	2P+⊕-100-130V	10/80
EC 69 105		PCS	3P+⊕-100-130V	10/80
EC 69 051		PCS	2P+⊕-200-250V	10/80
EC 69 254		PCS	3P+⊕-200-250V	10/80
EC 69 255		PCS	3P+N+⊕-208-250V	10/60
EC 69 053		PCS	3P+⊕-380-415V	10/80
EC 69 055		PCS	3P+N+⊕-346-415V	10/60

PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 32A

EC 69 106		PCS	2P+⊕-100-130V	10/80
EC 69 107		PCS	3P+⊕-100-130V	10/60
EC 69 256		PCS	2P+⊕-200-250V	10/80
EC 69 257		PCS	3P+⊕-200-250V	10/60
EC 69 058		PCS	3P+⊕-380-415V	10/40
EC 69 059		PCS	3P+N+⊕-346-415V	10/40

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 63A				
		PCS	2P+⊕-200-250V	2/16
		PCS	3P+⊕-200-250V	2/16
		PCS	3P+⊕-380-415V	2/16
		PCS	3P+N+⊕-346-415V	2/16

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
PANEL MOUNTING SOCKETS FLANGE 60x60 mm - IP55				
	GC	PCS	2P+⊕ schuko/italian P17	1/30
	GC	PCS	2P+⊕ french	1/30
	GC	PCS	empty for gw type	1/30

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
PANEL MOUNTING INCLINED SOCKETS EN 60309 - IP67 - 125A				
		PCS	2P+⊕-200-250V	2/8
		PCS	3P+⊕-200-250V	2/8
		PCS	3P+⊕-380-415V	2/8
		PCS	3P+N+⊕-346-415V	2/8

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
PANEL MOUNTING SOCKETS FLANGE 50x50 mm - IP54				
		PCS	2P+⊕ 16A	100
		PCS	french standard	
		PCS	2P+⊕ 16A	100
		PCS	german standard	

WALL MOUNTING INCLINED BOX SOCKETS EN 60309 - IP44


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4001		PCS	2P-20-25V - 16A	12
EC 69 4011		PCS	3P-20-25V - 16A	12
EC 69 1001		PCS	2P+⊕-100-130V - 16A	12
EC 69 1011		PCS	3P+⊕-100-130V - 16A	12
EC 69 0501		PCS	2P+⊕-200-250V - 16A	12
EC 69 2501		PCS	3P+⊕-200-250V - 16A	12
EC 69 0521		PCS	3P+⊕-380-415V - 16A	12
EC 69 0541		PCS	3P+N+⊕-346-415V - 16A	12
EC 69 1021		PCS	2P+⊕-100-130V - 32A	12
EC 69 1031		PCS	3P+⊕-100-130V - 32A	12
EC 69 2521		PCS	2P+⊕-200-250V - 32A	12
EC 69 2531		PCS	3P+⊕-200-250V - 32A	12
EC 69 0561		PCS	3P+⊕-380-415V - 32A	12
EC 69 0581		PCS	3P+N+⊕-346-415V - 32A	12

WALL MOUNTING INCLINED BOX SOCKETS EN 60309 - IP67


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4021		PCS	2P- 20-25V	12
EC 69 4031		PCS	3P- 20-25V	12
EC 69 1041		PCS	2P+⊕-100-130V - 16A	12
EC 69 1051		PCS	3P+⊕-100-130V - 16A	12
EC 69 0511		PCS	2P+⊕-200-250V - 16A	12
EC 69 2541		PCS	3P+⊕-200-250V - 16A	12
EC 69 0531		PCS	3P+⊕-380-415V - 16A	12
EC 69 0551		PCS	3P+N+⊕-346-415V - 16A	12
EC 69 1061		PCS	2P+⊕-100-130V - 32A	12
EC 69 1071		PCS	3P+⊕-100-130V - 32A	12
EC 69 2561		PCS	2P+⊕-200-250V - 32A	12
EC 69 2571		PCS	3P+⊕-200-250V - 32A	12
EC 69 0571		PCS	3P+⊕-380-415V - 32A	12
EC 69 0591		PCS	3P+N+⊕-346-415V - 32A	12

WALL MOUNTING STRAIGHT BOX SOCKETS EN 60309 - IP44


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4001D		PCS	2P-20-25V - 16A	12
EC 69 4011D		PCS	3P-20-25V - 16A	12
EC 69 1001D		PCS	2P+⊕-100-130V - 16A	12
EC 69 1011D		PCS	3P+⊕-100-130V - 16A	12
EC 69 0501D		PCS	2P+⊕-200-250V - 16A	12
EC 69 2501D		PCS	3P+⊕-200-250V - 16A	12
EC 69 0521D		PCS	3P+⊕-380-415V - 16A	12
EC 69 0541D		PCS	3P+N+⊕-346-415V - 16A	12
EC 69 1021D		PCS	2P+⊕-100-130V - 32A	12
EC 69 1031D		PCS	3P+⊕-100-130V - 32A	12
EC 69 2521D		PCS	2P+⊕-200-250V - 32A	12
EC 69 2531D		PCS	3P+⊕-200-250V - 32A	12
EC 69 0561D		PCS	3P+⊕-380-415V - 32A	12
EC 69 0581D		PCS	3P+N+⊕-346-415V - 32A	12

WALL MOUNTING STRAIGHT BOX SOCKETS EN 60309 - IP67


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 4021D		PCS	2P- 20-25V	12
EC 69 4031D		PCS	3P- 20-25V	12
EC 69 1041D		PCS	2P+⊕-100-130V - 16A	12
EC 69 1051D		PCS	3P+⊕-100-130V - 16A	12
EC 69 0511D		PCS	2P+⊕-200-250V - 16A	12
EC 69 2541D		PCS	3P+⊕-200-250V - 16A	12
EC 69 0531D		PCS	3P+⊕-380-450V - 16A	12
EC 69 0551D		PCS	3P+N+⊕-346-450V - 16A	12
EC 69 1061D		PCS	2P+⊕-100-130V - 32A	12
EC 69 1071D		PCS	3P+⊕-100-130V - 32A	12
EC 69 2561D		PCS	2P+⊕-200-250V - 32A	12
EC 69 2571D		PCS	3P+⊕-200-250V - 32A	12
EC 69 0571D		PCS	3P+⊕-380-415V - 32A	12
EC 69 0591D		PCS	3P+N+⊕-346-415V - 32A	12

PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 190		PCS	2P+⊕-100-130V	1/24
EC 69 090		PCS	2P+⊕-100-130V	1/24
EC 69 290		PCS	3P+⊕-200-250V	1/24
EC 69 092		PCS	3P+⊕-380-415V	1/24
EC 69 094		PCS	3P+N+⊕-346-415V	1/24

IP44 - 32A

EC 69 292		PCS	2P+⊕-200-250V	1/24
EC 69 293		PCS	3P+⊕-200-250V	1/24
EC 69 096		PCS	3P+⊕-380-415V	1/24
EC 69 098		PCS	3P+N+⊕-346-415V	1/24

PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 194		PCS	2P+⊕-100-130V	1/24
EC 69 091		PCS	2P+⊕-200-250V	1/24
EC 69 294		PCS	3P+⊕-200-250V	1/24
EC 69 093		PCS	3P+⊕-380-415V	1/24
EC 69 095		PCS	3P+N+⊕-346-415V	1/24

IP65 - 32A

EC 69 296		PCS	2P+⊕-200-250V	1/24
EC 69 297		PCS	3P+⊕-200-250V	1/24
EC 69 097		PCS	3P+⊕-380-415V	1/24
EC 69 099		PCS	3P+N+⊕-346-415V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



EC 69 1901		PCS	2P+⊕-100-130V	1/24
EC 69 0901		PCS	2P+⊕-200-250V	1/24
EC 69 2901		PCS	3P+⊕-200-250V	1/24
EC 69 0921		PCS	3P+⊕-380-415V	1/24
EC 69 0941		PCS	3P+N+⊕-346-415V	1/24

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A

EC 69 2921		PCS	2P+⊕-200-250V	1/24
EC 69 2931		PCS	3P+⊕-200-250V	1/24
EC 69 0961		PCS	3P+⊕-380-415V	1/24
EC 69 0981		PCS	3P+N+⊕-346-415V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 16A



EC 69 1941		PCS	2P+⊕-100-130V	1/24
EC 69 0911		PCS	2P+⊕-200-250V	1/24
EC 69 2941		PCS	3P+⊕-200-250V	1/24
EC 69 0931		PCS	3P+⊕-380-415V	1/24
EC 69 0951		PCS	3P+N+⊕-346-415V	1/24

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 32A

EC 69 2961		PCS	2P+⊕-200-250V	1/24
EC 69 2971		PCS	3P+⊕-200-250V	1/24
EC 69 0971		PCS	3P+⊕-380-415V	1/24
EC 69 0991		PCS	3P+N+⊕-346-415V	1/24

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING BOX



EC 69 0900 GC PCS wall mounting 154x144x50 1/20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

FLUSH MOUNTING BOX



EC 69 0910 GC PCS flush mounting 1/12

WITH FUSE HOLDER

PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 190F	Yellow	PCS	2P+⊕-100-130V	1/10
EC 69 090F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 290F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 092F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 094F	Red	PCS	3P+N+⊕-346-415V	1/10

IP44 - 32A

EC 69 292F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 293F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 096F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 098F	Red	PCS	3P+N+⊕-346-415V	1/10

PANEL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 194F	Yellow	PCS	2P+⊕-100-130V	1/10
EC 69 091F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 294F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 093F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 095F	Red	PCS	3P+N+⊕-346-415V	1/10

IP65 - 32A

EC 69 296F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 297F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 097F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 099F	Red	PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 16A



EC 69 1901F	Yellow	PCS	2P+⊕-100-130V	1/10
EC 69 0901F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 2901F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 0921F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 0941F	Red	PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP44 - 32A

EC 69 2921F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 2931F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 0961F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 0981F	Red	PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 16A



EC 69 1941F	Yellow	PCS	2P+⊕-100-130V	1/10
EC 69 0911F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 2941F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 0931F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 0951F	Red	PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED HORIZONTAL SOCKETS - IP65 - 32A

EC 69 2961F	Blue	PCS	2P+⊕-200-250V	1/10
EC 69 2971F	Blue	PCS	3P+⊕-200-250V	1/10
EC 69 0971F	Red	PCS	3P+⊕-380-415V	1/10
EC 69 0991F	Red	PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING BOX



EC 69 0905	GC	PCS	wall mounting 194x144x56	1/14
------------	----	-----	-----------------------------	------

PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1904		PCS	2P+⊕-100-130V	1/10
EC 69 0904		PCS	2P+⊕-200-250V	1/10
EC 69 2904		PCS	3P+⊕-200-250V	1/10
EC 69 0924		PCS	3P+⊕-380-415V	1/10
EC 69 0944		PCS	3P+N+⊕-346-415V	1/10

IP44 - 32A

EC 69 2924		PCS	2P+⊕-200-250V	1/10
EC 69 2934		PCS	3P+⊕-200-250V	1/10
EC 69 0964		PCS	3P+⊕-380-415V	1/10
EC 69 0984		PCS	3P+N+⊕-346-415V	1/10

PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1944		PCS	2P+⊕-100-130V	1/10
EC 69 0914		PCS	2P+⊕-200-250V	1/10
EC 69 2944		PCS	3P+⊕-200-250V	1/10
EC 69 0934		PCS	3P+⊕-380-415V	1/10
EC 69 0954		PCS	3P+N+⊕-346-415V	1/10

IP65 - 32A

EC 69 2964		PCS	2P+⊕-200-250V	1/10
EC 69 2974		PCS	3P+⊕-200-250V	1/10
EC 69 0974		PCS	3P+⊕-380-415V	1/10
EC 69 0994		PCS	3P+N+⊕-346-415V	1/10

IP65 - 63A

EC 69 2584		PCS	2P+⊕-200-250V	1/10
EC 69 2594		PCS	3P+⊕-200-250V	1/10
EC 69 3504		PCS	3P+⊕-380-415V	1/10
EC 69 3514		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 19041		PCS	2P+⊕-100-130V	1/10
EC 69 09041		PCS	2P+⊕-200-250V	1/10
EC 69 29041		PCS	3P+⊕-200-250V	1/10
EC 69 09241		PCS	3P+⊕-380-415V	1/10
EC 69 09441		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 32A

EC 69 29241		PCS	2P+⊕-200-250V	1/10
EC 69 29341		PCS	3P+⊕-200-250V	1/10
EC 69 09641		PCS	3P+⊕-380-415V	1/10
EC 69 09841		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 19441		PCS	2P+⊕-100-130V	1/10
EC 69 09141		PCS	2P+⊕-200-250V	1/10
EC 69 29441		PCS	3P+⊕-200-250V	1/10
EC 69 09341		PCS	3P+⊕-380-415V	1/10
EC 69 09541		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 32A

EC 69 29641		PCS	2P+⊕-200-250V	1/10
EC 69 29741		PCS	3P+⊕-200-250V	1/10
EC 69 09741		PCS	3P+⊕-380-415V	1/10
EC 69 09941		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 63A

EC 69 25841		PCS	2P+⊕-200-250V	1/10
EC 69 25941		PCS	3P+⊕-200-250V	1/10
EC 69 35041		PCS	3P+⊕-380-415V	1/10
EC 69 35141		PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
MODULAR WALL MOUNTING BOX FOR INTERLOCKED VERTICAL SOCKETS				
EC 69 09014	GC	PCS	1 socket	1/10
EC 69 09024	GC	PCS	2 sockets	1/5
EC 69 09034	GC	PCS	3 sockets	1/3
EC 69 09044	GC	PCS	4 sockets	1/2

WITH FUSE HOLDER

PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1904F		PCS	2P+⊕-100-130V	1/10
EC 69 0904F		PCS	2P+⊕-200-250V	1/10
EC 69 2904F		PCS	3P+⊕-200-250V	1/10
EC 69 0924F		PCS	3P+⊕-380-415V	1/10
EC 69 0944F		PCS	3P+N+⊕-346-415V	1/10

IP44 - 32A

EC 69 2924F		PCS	2P+⊕-200-250V	1/10
EC 69 2934F		PCS	3P+⊕-200-250V	1/10
EC 69 0964F		PCS	3P+⊕-380-415V	1/10
EC 69 0984F		PCS	3P+N+⊕-346-415V	1/10

PANEL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1944F		PCS	2P+⊕-100-130V	1/10
EC 69 0914F		PCS	2P+⊕-200-250V	1/10
EC 69 2944F		PCS	3P+⊕-200-250V	1/10
EC 69 0934F		PCS	3P+⊕-380-415V	1/10
EC 69 0954F		PCS	3P+N+⊕-346-415V	1/10

IP65 - 32A

EC 69 2964F		PCS	2P+⊕-200-250V	1/10
EC 69 2974F		PCS	3P+⊕-200-250V	1/10
EC 69 0974F		PCS	3P+⊕-380-415V	1/10
EC 69 0994F		PCS	3P+N+⊕-346-415V	1/10

IP65 - 63A

EC 69 2584F		PCS	2P+⊕-200-250V	1/10
EC 69 2594F		PCS	3P+⊕-200-250V	1/10
EC 69 3504F		PCS	3P+⊕-380-415V	1/10
EC 69 3514F		PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 16A



EC 69 19041F		PCS	2P+⊕-100-130V	1/10
EC 69 09041F		PCS	2P+⊕-200-250V	1/10
EC 69 29041F		PCS	3P+⊕-200-250V	1/10
EC 69 09241F		PCS	3P+⊕-380-415V	1/10
EC 69 09441F		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP44 - 32A

EC 69 29241F		PCS	2P+⊕-200-250V	1/10
EC 69 29341F		PCS	3P+⊕-200-250V	1/10
EC 69 09641F		PCS	3P+⊕-380-415V	1/10
EC 69 09841F		PCS	3P+N+⊕-346-415V	1/10

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

FLUSH BOX FOR INTERLOCKED VERTICAL SOCKETS



EC 69 0920	GC	PCS	flush box with flange	1/14
------------	----	-----	-----------------------	------

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 16A



EC 69 19441F		PCS	2P+⊕-100-130V	1/10
EC 69 09141F		PCS	2P+⊕-200-250V	1/10
EC 69 29441F		PCS	3P+⊕-200-250V	1/10
EC 69 09341F		PCS	3P+⊕-380-415V	1/10
EC 69 09541F		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 32A

EC 69 29641F		PCS	2P+⊕-200-250V	1/10
EC 69 29741F		PCS	3P+⊕-200-250V	1/10
EC 69 09741F		PCS	3P+⊕-380-415V	1/10
EC 69 09941F		PCS	3P+N+⊕-346-415V	1/10

WALL MOUNTING INTERLOCKED VERTICAL SOCKETS - IP65 - 63A

EC 69 25841F		PCS	2P+⊕-200-250V	1/10
EC 69 25941F		PCS	3P+⊕-200-250V	1/10
EC 69 35041F		PCS	3P+⊕-380-415V	1/10
EC 69 35141F		PCS	3P+N+⊕-346-415V	1/10

2-WAY MULTIPLIER - EN 60309 PLUG - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1702		PCS	2P+⊕-100-130V-IP44	10
EC 69 0702		PCS	2P+⊕-200+250V-IP44	10
EC 69 0722		PCS	3P+⊕-380-415V-IP44	10
EC 69 1742		PCS	2P+⊕-100-130V-IP67	5
EC 69 0712		PCS	2P+⊕-200-250V-IP67	5
EC 69 0732		PCS	3P+⊕-380V-IP67	5

3-WAY MULTIPLIER - EN 60309 PLUG - 16A



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69 1703		PCS	2P+⊕-100-130V-IP44	6
EC 69 0703		PCS	2P+⊕-200-250V-IP44	5
EC 69 2703		PCS	3P+⊕-200-250V-IP44	4
EC 69 2713		PCS	3P+N+⊕-208-250V-IP44	4
EC 69 0723		PCS	3P+⊕-380-415V-IP44	4
EC 69 0743		PCS	3P+N+⊕-346-415V-IP44	4
EC 69 1743		PCS	2P+⊕-100-130V-IP67	6
EC 69 0713		PCS	2P+⊕-200-250V-IP67	5
EC 69 2743		PCS	3P+⊕-200-250V-IP67	4
EC 69 2753		PCS	3P+N+⊕-208-250V-IP67	4
EC 69 0733		PCS	3P+⊕-380-415V-IP67	4
EC 69 0753		PCS	3P+N+⊕-346-415V-IP67	4

3-WAY MULTIPLIER - EN 60309 PLUG - 32A

EC 69 0763		PCS	3P+⊕-380-415V-IP44	4
EC 69 0783		PCS	3P+N+⊕-346-415V-IP44	4
EC 69 0773		PCS	3P+⊕-380-415V-IP67	4
EC 69 0793		PCS	3P+N+⊕-346-415V-IP67	4

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INDUSTRIAL EXTENSIONS - PLUG AND SOCKET EN 60309 - 16A - IP44

	EC 699P10		PCS	2P-10 MT - 3x2,5	1
	EC 699P11		PCS	3P-10 MT - 4x2,5	1
	EC 699P12		PCS	3P+N-10 MT - 5x2,5	1
	EC 699P13		PCS	2P-20 MT - 3x2,5	1
	EC 699P14		PCS	3P-20 MT - 4x2,5	1
	EC 699P15		PCS	3P+N-20 MT - 5x2,5	1
	EC 699P16		PCS	2P-30 MT - 3x2,5	1
	EC 699P17		PCS	3P-30 MT - 4x2,5	1
	EC 699P18		PCS	3P+N-30 MT - 5x2,5	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INDUSTRIAL EXTENSIONS PLUG AND SOCKET EN 60309 - 16A - IP67

	EC 699P20		PCS	2P-10 MT - 3x2,5	1
	EC 699P21		PCS	3P-10 MT - 4x2,5	1
	EC 699P22		PCS	3P+N-10 MT - 5x2,5	1
	EC 699P23		PCS	2P-20 MT - 3x2,5	1
	EC 699P24		PCS	3P-20 MT - 4x2,5	1
	EC 699P25		PCS	3P+N-20 MT - 5x2,5	1
	EC 699P26		PCS	2P-30 MT - 3x2,5	1
	EC 699P27		PCS	3P-30 MT - 4x2,5	1
	EC 699P28		PCS	3P+N-30 MT - 5x2,5	1

3-WAY MULTIPLIER - WITH CABLE - 16A - IP67

	EC 69 0714-3		PCS	2P+±-220V-3MT	1
	EC 69 0714-20		PCS	2P+±-220V-20MT	1
	EC 69 0714-30		PCS	2P+±-220V-30MT	1

3-WAY MULTIPLIER - WITH CABLE - 16A - IP67

	EC 69 0754-3		PCS	3P+N+±-380V-3MT	1
--	--------------	--	-----	-----------------	---

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

ADAPTOR INDUSTRIAL TO DOMESTIC SOCKET - 16A



EC 69 0510	GC	PCS	2P-220V → schuko+2 italian P17	10/80
EC 69 0530	GC	PCS	3P+N-380V → schuko/italian P17	10/90
EC 69 0540	GC	PCS	3P+N-380V → 2 italian P17	10/90

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

ADAPTOR DOMESTIC TO INDUSTRIAL SOCKET - 16A



EC 69 0512	GC	PCS	schuko plug	10/80
EC 69 0513	GC	PCS	italian S17 plug	10/80

NEW

WALL MOUNTING EMERGENCY PUSH-BUTTONS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69000E	G	PCS	Ø 40 - twist to release IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69000ES	G	PCS	Ø 40 - twist to release with vision red/green IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69003E	G	PCS	Ø 40 - push-pull IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69003EL	G	PCS	Ø 40 - push-pull with lens cap IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69007E	G	PCS	Ø 40 - with key release IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC69000EAL	G	PCS	Ø 40 - twist to release aluminium box IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69060E	G	PCS	Ø 60 - twist to release IP65 - Contact NC 10A - 250V~	1/12



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC69063E	G	PCS	Ø 60 - push-pull IP65 - Contact NC 10A - 250V~	1/12

NEW

IP65 SAFETY SWITCHES - TECHNOPOLYMER BOX



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 660162E	GC	PCS	16A - 2P - 115x155x105	1/24
EC 660163E	GC	PCS	16A - 3P - 115x155x105	1/24
EC 660164E	GC	PCS	16A - 4P - 115x155x105	1/24
EC 660202E	GC	PCS	20A - 2P - 115x155x105	1/24
EC 660203E	GC	PCS	20A - 3P - 115x155x105	1/24
EC 660204E	GC	PCS	20A - 4P - 115x155x105	1/24
EC 660322E	GC	PCS	32A - 2P - 115x155x105	1/24
EC 660323E	GC	PCS	32A - 3P - 115x155x105	1/24
EC 660324E	GC	PCS	32A - 4P - 115x155x105	1/24
EC 660402E	GC	PCS	40A - 2P - 115x155x105	1/24
EC 660403E	GC	PCS	40A - 3P - 115x155x105	1/24
EC 660404E	GC	PCS	40A - 4P - 115x155x105	1/24
EC 660632E	GC	PCS	63A - 2P - 155x205x125	1/10
EC 660633E	GC	PCS	63A - 3P - 155x205x125	1/10
EC 660634E	GC	PCS	63A - 4P - 155x205x125	1/10
EC 660802E	GC	PCS	80A - 2P - 155x205x125	1/10
EC 660803E	GC	PCS	80A - 3P - 155x205x125	1/10
EC 660804E	GC	PCS	80A - 4P - 155x205x125	1/10
EC 661003E	GC	PCS	100A - 3P - 155x205x125	1/10
EC 661004E	GC	PCS	100A - 4P - 155x205x125	1/10

IP65 SHUNTING SWITCHES - TECHNOPOLYMER BOX



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 660162M	GC	PCS	16A - 2P - 115x155x105	1/24
EC 660163M	GC	PCS	16A - 3P - 115x155x105	1/24
EC 660164M	GC	PCS	16A - 4P - 115x155x105	1/24
EC 660202M	GC	PCS	20A - 2P - 115x155x105	1/24
EC 660203M	GC	PCS	20A - 3P - 115x155x105	1/24
EC 660204M	GC	PCS	20A - 4P - 115x155x105	1/24
EC 660322M	GC	PCS	32A - 2P - 115x155x105	1/24
EC 660323M	GC	PCS	32A - 3P - 115x155x105	1/24
EC 660324M	GC	PCS	32A - 4P - 115x155x105	1/24
EC 660402M	GC	PCS	40A - 2P - 115x155x105	1/24
EC 660403M	GC	PCS	40A - 3P - 115x155x105	1/24
EC 660404M	GC	PCS	40A - 4P - 115x155x105	1/24
EC 660632M	GC	PCS	63A - 2P - 155x205x125	1/10
EC 660633M	GC	PCS	63A - 3P - 155x205x125	1/10
EC 660634M	GC	PCS	63A - 4P - 155x205x125	1/10
EC 660802M	GC	PCS	80A - 2P - 155x205x125	1/10
EC 660803M	GC	PCS	80A - 3P - 155x205x125	1/10
EC 660804M	GC	PCS	80A - 4P - 155x205x125	1/10
EC 661003M	GC	PCS	100A - 3P - 155x205x125	1/10
EC 661004M	GC	PCS	100A - 4P - 155x205x125	1/10

NEW

IP65 SAFETY SWITCHES - ALLUMINUM BOX



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 660163EA	GC	PCS	16A - 3P - 112x138x115	1/24
EC 660164EA	GC	PCS	16A - 4P - 112x138x115	1/24
EC 660323EA	GC	PCS	32A - 3P - 112x138x115	1/24
EC 660324EA	GC	PCS	32A - 4P - 112x138x115	1/24
EC 660633EA	GC	PCS	63A - 3P - 147x196x145	1/10
EC 660634EA	GC	PCS	63A - 4P - 147x196x145	1/10
EC 660803EA	GC	PCS	80A - 3P - 147x196x145	1/10
EC 660804EA	GC	PCS	80A - 4P - 147x196x145	1/10
EC 661003EA	GC	PCS	100A - 3P - 147x196x145	1/10
EC 661004EA	GC	PCS	100A - 4P - 147x196x145	1/10

IP65 SHUNTING SWITCHES - ALLUMINUM BOX



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 660163MA	GC	PCS	16A - 3P - 112x138x115	1/24
EC 660164MA	GC	PCS	16A - 4P - 112x138x115	1/24
EC 660323MA	GC	PCS	32A - 3P - 112x138x115	1/24
EC 660324MA	GC	PCS	32A - 4P - 112x138x115	1/24
EC 660633MA	GC	PCS	63A - 3P - 147x196x145	1/10
EC 660634MA	GC	PCS	63A - 4P - 147x196x145	1/10
EC 660803MA	GC	PCS	80A - 3P - 147x196x145	1/10
EC 660804MA	GC	PCS	80A - 4P - 147x196x145	1/10
EC 661003MA	GC	PCS	100A - 3P - 147x196x145	1/10
EC 661004MA	GC	PCS	100A - 4P - 147x196x145	1/10

EMPTY DISTRIBUTION BOARDS - 4 MODULES - 2 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69001	GC	PCS	blank	1/15
EC 69011	GC	PCS	pre-cut for sockets 16/32A	1/15
EC 69021	GC	PCS	flanged for sockets 16A	1/15

EMPTY DISTRIBUTION BOARDS - 4 MODULES - 3 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69002	GC	PCS	blank	1/13
EC 69012	GC	PCS	pre-cut for sockets 16/32A	1/13
EC 69022	GC	PCS	flanged for sockets 16A	1/13

EMPTY DISTRIBUTION BOARDS - 8 MODULES - 4 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69003	GC	PCS	blank	1
EC 69013	GC	PCS	pre-cut for sockets 16/32A	1
EC 69023	GC	PCS	flanged for sockets 16A	1

EMPTY DISTRIBUTION BOARDS - 12 MODULES - 3 SOCKETS




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69004	GC	PCS	blank	1
EC 69014	GC	PCS	pre-cut for sockets 16/32A	1
EC 69024	GC	PCS	flanged for sockets 16A	1
EC 69034	GC	PCS	2 interlocked hor. sockets WOFH	1

EMPTY DISTRIBUTION BOARDS - 12 MODULES - 6 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69005	GC	PCS	blank	1
EC 69015	GC	PCS	pre-cut for sockets 16/32A	1
EC 69025	GC	PCS	flanged for sockets 16A	1
EC 69035	GC	PCS	4 interlocked hor. sockets WOFH	1
EC 69045	GC	PCS	2 interlocked vertical sockets	1

EMPTY DISTRIBUTION BOARDS - 19 MODULES - 8 SOCKETS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 69006	GC	PCS	blank	1
EC 69016	GC	PCS	pre-cut for sockets 16/32A	1
EC 69026	GC	PCS	flanged for sockets 16A	1
EC 69036	GC	PCS	4 interlocked hor. sockets WFH	1
EC 69046	GC	PCS	3 interlocked vertical sockets	1

ITEM	IP	UM	DESCRIPTION	PACK-AGING
------	----	----	-------------	------------

CABLED EMERGENCY PUSH-BUTTON FOR ASC BOARDS



-E		PCS	push-button	1
-----------	--	-----	-------------	---

ITEM	IP	UM	DESCRIPTION	PACK-AGING
------	----	----	-------------	------------

METALLIC SUPPORT FOR DISTRIBUTION BOARDS



EC 69040		PCS	for 8 modules with cable support	1
EC 69041		PCS	for 12-19 modules with cable support	1
EC 69040T		PCS	for 8 modules with protection	1
EC 69041T		PCS	for 12 modules with protection	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

CONNECTING DEVICE FOR DISTRIBUTION BOARDS



EC 52121	GC	PCS	joint - PG21 type	10/50
EC 52129	GC	PCS	joint - PG29 type	10/50
EC 52136	GC	PCS	joint - PG36 type	10/50

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

HANDLE WITH INSULATED SCREWS



EC 690MA	GC	PCS	for all distribution boards	1/10
-----------------	----	-----	-----------------------------	------

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

BLANK FLANGES



EC 690F1	GC	PCS	sockets 16A	10
EC 690F2	GC	PCS	hor. interlocked s. 16/32A WOFH	10
EC 690F3	GC	PCS	ver. interlocked s. 16/32/63A WFH	10
EC 690F5	GC	PCS	hor. interlocked s. 16/32A WFH	10

FLANGE FOR INCLINED SOCKETS



EC 690F4	GC	PCS	for sockets 16/32A or flange 60x60 for boards 69045 and 69046	1/20
-----------------	----	-----	---	------

MODULAR BLANK PLATE - 4,5 MODULES



EC 600TC	GC	PCS	4,5 modules	25
-----------------	----	-----	-------------	----


PLASTIC BRACKET




EC 600SF	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all distribution boards series 690	50
-----------------	----	-----	--	----

board system


DISTRIBUTION BOARDS DBO TYPE - 2 VERTICAL SOCKETS 16A

ITEM	IP	UM	DESCRIPTION ALL SOCKETS ARE + ±	PACK-AGING	
 16A	EC 6902120	44	PCS	1x2P - 1x3P	1
	EC 6902121	44	PCS	2x2P	1
	EC 6902122	44	PCS	1x2P - 1xbiv	1
	EC 6902123	44	PCS	2xbiv	1
	EC 6902124	65	PCS	2x3P	1
	EC 6902130	65	PCS	1x2P - 1x3P	1
	EC 6902131	65	PCS	2x2P	1
	EC 6902132	65	PCS	2x3P	1


DISTRIBUTION BOARDS DBO TYPE - 3 VERTICAL SOCKETS 16A

 16A	EC 6902220	44	PCS	2x2P - 1x3P	1
	EC 6902221	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902222	44	PCS	2x2P - 1xbiv	1
	EC 6902223	44	PCS	1x2P - 2x3P	1
	EC 6902224	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902225	44	PCS	3x2P	1
	EC 6902226	44	PCS	3xbiv	1
	EC 6902227	44	PCS	3x3P	1
	EC 6902230	65	PCS	2x2P - 1x3P	1
	EC 6902231	65	PCS	1x2P - 2x3P	1
	EC 6902232	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902233	65	PCS	3x2P	1
	EC 6902234	65	PCS	3x3P	1


DISTRIBUTION BOARDS DBO TYPE - 4 SOCKETS 16A

 16A	EC 6902320	44	PCS	2x2P - 2x3P	1
	EC 6902321	44	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902322	44	PCS	1x2P - 1x3P - 1x3P+N - 1xbiv	1
	EC 6902323	44	PCS	2x2P - 2xbiv	1
	EC 6902324	44	PCS	4x2P	1
	EC 6902325	44	PCS	4x3P	1
	EC 6902326	44	PCS	3x2P - 1x3P	1
	EC 6902330	65	PCS	2x2P - 2x3P	1
	EC 6902331	65	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902332	65	PCS	1x2P - 2x3P - 1x3P+N	1
	EC 6902333	65	PCS	4x2P	1
	EC 6902334	65	PCS	4x3P	1
	EC 6902336	65	PCS	3x2P - 1x3P	1


DISTRIBUTION BOARDS DBO TYPE - 3 HORIZONTAL SOCKETS 16A

 16A	EC 6902420	44	PCS	2x2P - 1x3P	1
	EC 6902421	44	PCS	1x2P - 2x3P	1
	EC 6902422	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902423	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902424	44	PCS	3x2P	1
	EC 6902425	44	PCS	3x3P	1
	EC 6902430	65	PCS	2x2P - 1x3P	1
	EC 6902431	65	PCS	1x2P - 2x3P	1
	EC 6902432	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902433	65	PCS	3x2P	1
	EC 6902434	65	PCS	3x3P	1


DISTRIBUTION BOARDS DBO TYPE - 6 SOCKETS 16A

 16A	EC 6902520	44	PCS	3x2P - 3x3P	1
	EC 6902521	44	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902522	44	PCS	2x2P - 2x3P - 1x3P+N - 1xbiv	1
	EC 6902523	44	PCS	2x2P - 1x3P - 1x3P+N - 2xbiv	1
	EC 6902524	44	PCS	6x2P	1
	EC 6902525	44	PCS	6x3P	1
	EC 6902530	65	PCS	3x2P - 3x3P	1
	EC 6902531	65	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902532	65	PCS	3x2P - 2x3P - 1x3P+N	1
	EC 6902533	65	PCS	6x2P	1
	EC 6902534	65	PCS	6x3P	1
	EC 6902535	65	PCS	4x2P - 2x3P	1


DISTRIBUTION BOARDS DBO TYPE - 8 SOCKETS 16A

 16A	EC 6902620	44	PCS	8x2P	1
	EC 6902621	44	PCS	4x2P - 4x3P	1
	EC 6902622	44	PCS	4x2P - 4x3P+N	1
	EC 6902623	44	PCS	4x2P - 2x3P - 2x3P+N	1
	EC 6902630	65	PCS	8x2P	1
	EC 6902631	65	PCS	4x2P - 4x3P	1
	EC 6902632	65	PCS	4x2P - 4x3P+N	1
	EC 6902633	65	PCS	4x2P - 2x3P - 2x3P+N	1


DISTRIBUTION BOARDS ASC TYPE - 2 VERTICAL SOCKETS 16A

 16A	EC 6902100	44	PCS	1x2P - 1x3P	1
	EC 6902101	44	PCS	1x2P - 1xbiv	1
	EC 6902102	44	PCS	2x2P	1
	EC 6902103	44	PCS	2xbiv	1
	EC 6902104	65	PCS	2x3P	1
	EC 6902110	65	PCS	1x2P - 1x3P	1
	EC 6902111	65	PCS	2x2P	1
	EC 6902112	65	PCS	2x3P	1


DISTRIBUTION BOARDS ASC TYPE - 3 VERTICAL SOCKETS 16A

 16A	EC 6902200	44	PCS	2x2P - 1x3P	1
	EC 6902201	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902202	44	PCS	2x2P - 1xbiv	1
	EC 6902203	44	PCS	1x2P - 2x3P	1
	EC 6902204	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902205	44	PCS	3x2P	1
	EC 6902206	44	PCS	3x3P	1
	EC 6902207	44	PCS	3xbiv	1
	EC 6902210	65	PCS	2x2P - 1x3P	1
	EC 6902211	65	PCS	1x2P - 2x3P	1
	EC 6902212	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902213	65	PCS	3x2P	1
	EC 6902214	65	PCS	3x3P	1


DISTRIBUTION BOARDS ASC TYPE - 4 SOCKETS 16A

 16A	EC 6902300	44	PCS	2x2P - 2x3P	1
	EC 6902301	44	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902302	44	PCS	1x2P - 1x3P - 1x3P+N - 1xbiv	1
	EC 6902303	44	PCS	2x2P - 2xbiv	1
	EC 6902304	44	PCS	4x2P	1
	EC 6902305	44	PCS	4x3P	1
	EC 6902308	44	PCS	3x2P - 1x3P	1
	EC 6902310	65	PCS	2x2P - 2x3P	1
	EC 6902311	65	PCS	2x2P - 1x3P - 1x3P+N	1
	EC 6902312	65	PCS	1x2P - 2x3P - 1x3P+N	1
	EC 6902313	65	PCS	4x2P	1
	EC 6902314	65	PCS	4x3P	1
	EC 6902318	65	PCS	3x2P - 1x3P	1


DISTRIBUTION BOARDS ASC TYPE - 3 HORIZONTAL SOCKETS 16A

 16A	EC 6902400	44	PCS	2x2P - 1x3P	1
	EC 6902401	44	PCS	1x2P - 2x3P	1
	EC 6902402	44	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902403	44	PCS	1x2P - 1x3P - 1xbiv	1
	EC 6902404	44	PCS	3x2P	1
	EC 6902405	44	PCS	3x3P	1
	EC 6902410	65	PCS	2x2P - 1x3P	1
	EC 6902411	65	PCS	1x2P - 2x3P	1
	EC 6902412	65	PCS	1x2P - 1x3P - 1x3P+N	1
	EC 6902413	65	PCS	3x2P	1
	EC 6902414	65	PCS	3x3P	1

DISTRIBUTION BOARDS ASC TYPE - 6 SOCKETS 16A


 16A	EC 6902500	44	PCS	3x2P - 3x3P	1
	EC 6902501	44	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902502	44	PCS	2x2P - 2x3P - 1x3P+N - 1xbiv	1
	EC 6902503	44	PCS	2x2P - 1x3P - 1x3P+N - 2xbiv	1
	EC 6902504	44	PCS	6x2P	1
	EC 6902505	44	PCS	6x3P	1
	EC 6902510	65	PCS	3x2P - 3x3P	1
	EC 6902511	65	PCS	2x2P - 2x3P - 2x3P+N	1
	EC 6902512	65	PCS	3x2P - 2x3P - 1x3P+N	1
	EC 6902513	65	PCS	6x2P	1
	EC 6902514	65	PCS	6x3P	1
	EC 6902515	65	PCS	4x2P - 2x3P	1

DISTRIBUTION BOARDS ASC TYPE - 8 SOCKETS 16A

 16A	EC 6902600	44	PCS	8x2P	1
	EC 6902601	44	PCS	4x2P - 4x3P	1
	EC 6902602	44	PCS	4x2P - 4x3P+N	1
	EC 6902603	44	PCS	4x2P - 2x3P - 2x3P+N	1
	EC 6902610	65	PCS	8x2P	1
	EC 6902611	65	PCS	4x2P - 4x3P	1
	EC 6902612	65	PCS	4x2P - 4x3P+N	1
	EC 6902613	65	PCS	4x2P - 2x3P - 2x3P+N	1



SURFACE MOUNTING POLYESTER BOARDS



QUBE  *system*

IP65 WATERTIGHT SURFACE MOUNTING POLYESTER BOARDS

CONSTRUCTIVE TECHNICAL CHARACTERISTICS:

- Color: grey RAL 7035.
- IP65 protection degree.
- Material: made of halogen free reinforced fiberglass polyester, self-extinguishing V2 degree to UL94.
- Double insulation, Shock resistance: IK10, 20j, to EN 62262.
- Application temperature: minimum -25° , maximum $+60^{\circ}$.
- Resistance to abnormal heat (GWT)- board with blank door up to 960°C - board with transparent window up to 650°C .
- Application voltage 1000V, suitable for photovoltaic plants.
- Right or left reversible door with stainless steel pins – it can be opened at 180° .
- Plain and smooth headboards for easy opening and conduit inlet.
- Removable frame ready to install slotted trunkings in the back.
- Back plates made up of metal or insulating material can be fixed directly to the board back, also if the frame is used, or can be adjusted to different heights through the kit EC625REG.
- Possibility to mount 48-75mm high switches or 102mm high switches starting from the board with dimensions 435x505x215.
- One-Screw-System: only one type of screws is used for the different accessories in order to permit a simple and easy assembly.
- Left or right reversible counter door with stainless steel pins, ergonomic handle, triangle lock, adjustable at two different heights with reference grid for the fixing of the devices.
- Fixing of the single/double blank or windowed panels through a $\frac{1}{4}$ turn screws.

 WxHxD mm	Max. Modules no.				FE 	ISO 				
I° 270x305x170	-	625001	625011	-	625031	625041	-	-	-	-
II° 325x430x185	36M (12x3)	625002	625012	625022	625032	625042	625072	625102	625112	625112
III° 435x505x215	54M (18x3)	625003	625013	625023	625033	625043	625073	625103	625113	625113
IV° 435x655x215	72M (18x4)	625004	625014	625024	625034	625044	625074	625103	625113	625113
V° 545x655x265	96M (24x4)	625005	625015	625025	625035	625045	625074	625105	625115	625115
VI° 620x810x320	140M (28x5)	625006	625016	625026	625036	625046	625076	625106	625116	625116

 WxHxD mm	Max. Modules no.				FE 	INOX 				
I° 270x305x170	-	-	-	-	625SZ	625SI	-	625SC	-	-
II° 325x430x185	36M (12x3)	625122	625132 (12M)	625REG	625SZ	625SI	600TC	625SC	625IO/625GI	625IO/625GI
III° 435x505x215	54M (18x3)	625123	625133 (18M)	625REG	625SZ	625SI	600TC	625SC	625IO/625GI	625IO/625GI
IV° 435x655x215	72M (18x4)	625123	625133 (18M)	625REG	625SZ	625SI	600TC	625SC	625IO/625GI	625IO/625GI
V° 545x655x265	96M (24x4)	625125	625135 (24M)	625REG	625SZ	625SI	600TC	625SC	625IO/625GI	625IO/625GI
VI° 620x810x320	140M (28x5)	625126	625136 (28M)	625REG	625SZ	625SI	600TC	625SC	625IO/625GI	625IO/625GI

POLYESTER BOARDS - BLANK DOOR



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 625001	GC	PCS	270x305x170 (I°)	1
EC 625002	GC	PCS	325x430x185 (II°)	1
EC 625003	GC	PCS	435x505x215 (III°)	1
EC 625004	GC	PCS	435x655x215 (IV°)	1
EC 625005	GC	PCS	545x655x265 (V°)	1
EC 625006	GC	PCS	620x810x320 (VI°)	1

POLYESTER BOARDS - TRANSPARENT WINDOW



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 625011	GC	PCS	270x305x170 (I°)	1
EC 625012	GC	PCS	325x430x185 (II°)	1
EC 625013	GC	PCS	435x505x215 (III°)	1
EC 625014	GC	PCS	435x655x215 (IV°)	1
EC 625015	GC	PCS	545x655x265 (V°)	1
EC 625016	GC	PCS	620x810x320 (VI°)	1


To get boards larger than 620x810 mm, you can put two or more boards with the same base or height together by using the joining kit EC625GI and the connecting devices series EC625XX.




EC 625GI

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


POLYESTER HINGED COUNTERDOOR

	EC 625022	GC	PCS	for board 325x430	1
	EC 625023	GC	PCS	for board 435x505	1
	EC 625024	GC	PCS	for board 435x655	1
	EC 625025	GC	PCS	for board 545x655	1
	EC 625026	GC	PCS	for board 620x810	1


METAL BACK PLATE

	EC 625031	GC	PCS	Dim. 207x239 - I°	1
	EC 625032	GC	PCS	Dim. 264x364 - II°	1
	EC 625033	GC	PCS	Dim. 372x439 - III°	1
	EC 625034	GC	PCS	Dim. 372x589 - IV°	1
	EC 625035	GC	PCS	Dim. 482x589 - V°	1
	EC 625036	GC	PCS	Dim. 556x739 - VI°	1

INSULANTING BACK PLATE


	EC 625041	GC	PCS	Dim. 207x239 - I°	1
	EC 625042	GC	PCS	Dim. 264x364 - II°	1
	EC 625043	GC	PCS	Dim. 372x439 - III°	1
	EC 625044	GC	PCS	Dim. 372x589 - IV°	1
	EC 625045	GC	PCS	Dim. 482x589 - V°	1
	EC 625046	GC	PCS	Dim. 556x739 - VI°	1

PAIR OF UP RIGHTS FOR RAIL DIN AND PANELS


	EC 625072	GC	1 pair	for board II°	1 pair
	EC 625073	GC	1 pair	for board III°	1 pair
	EC 625074	GC	1 pair	for boards IV°-V°	1 pair
	EC 625076	GC	1 pair	for board VI°	1 pair

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


COVER MODULE WITH WINDOW

	EC 625102	GC	PCS	12 modules - board II°	1
	EC 625103	GC	PCS	18 modules - board III°-IV°	1
	EC 625105	GC	PCS	24 modules - board V°	1
	EC 625106	GC	PCS	28 modules - board VI°	1


BLANK COVER MODULE

	EC 625112	GC	PCS	Height 125 - board II°	1
	EC 625113	GC	PCS	Height 150 - boards III°-IV°	1
	EC 625115	GC	PCS	Height 150 - board V°	1
	EC 625116	GC	PCS	Height 150 - board VI°	1

DOUBLE BLANK COVER MODULE


	EC 625122	GC	PCS	Height 250 - board II°	1
	EC 625123	GC	PCS	Height 300 - boards III°-IV°	1
	EC 625125	GC	PCS	Height 300 - board V°	1
	EC 625126	GC	PCS	Height 300 - board VI°	1

DIN RAIL WITH SUPPORT

	EC 625132	GC	PCS	12 modules - board II°	1 kit
	EC 625133	GC	PCS	18 modules - boards III°-IV°	1 kit
	EC 625135	GC	PCS	24 modules - board V°	1 kit
	EC 625136	GC	PCS	28 modules - board VI°	1 kit


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------

DEEP ADJUSTMENT BACK PLATE KIT




EC 625REG	GC	PCS	II° and III° dim. need Nr° 2 kits, IV° and V° dim. need Nr° 3 kits, VI° dim. need Nr° 4 Kits	1 kit
------------------	----	-----	--	-------

SET OF BRACKETS FOR FIXING



EC 625SZ	PCS	set of 4 steel brackets - galvanized	1 kit
EC 625SI	PCS	set of 4 steel brackets - stainless steel	1 kit

MODULAR BLANK PLATE



EC 600TC	GC	PCS	blank plates (4,5 modules)	25
-----------------	----	-----	----------------------------	----

SAFETY LOCK



EC 625SC	PCS	safety lock with handle	1 kit
-----------------	-----	-------------------------	-------


Lock supplied with two unified keys.
The keys are unified and open all the locks.

SPARE BRASS INSERTS KIT



EC 625IO	PCS	insert kit (nr° 10)	1 kit
-----------------	-----	---------------------	-------

JOINT KIT



EC 625GI	PCS	joint kit for all boards	1 kit
-----------------	-----	--------------------------	-------

CONNETING DEVICE



EC 52121	GC	PCS	joint - PG21 type	10/50
EC 52129	GC	PCS	joint - PG29 type	10/50
EC 52136	GC	PCS	joint - PG36 type	10/50

ENCLOSURE SYSTEMS



TECHNICAL SPECIFICATION

Possibility to mount 45-78 mm high modules

Modular blank plate and screw caps to gain double insulation

Reversible front



Kits of brass terminals specific for every model, easy to install

Internal pre-cuttings for conduit joints inside the enclosures

Self-adhesive circuit labels

Cable inlet through IP55 plastic stepped glands, IP44/IP66 conduit fittings and IP68 cable glands

The family of sealed modular enclosures series 620 with protection degree IP65 perfectly meets the protection and control needs of the modern distribution electrical systems in different environments, especially if wet or exposed to inclemency of the weather, to dust and pollution. In short they are suitable for any outdoor installation. The high-quality halogen free

technopolymer assures a great resistance to aging caused by the atmospheric agents and UV-rays. Thanks to the perfectly symmetric bottom and front the door can be reversed and opened at 180°. Starting from the 24-module enclosures the door has got a triangle safety key which permits to close the door and lock it. The cover fixing screws are made up of high-resistant stainless steel

and, once inserted in their seats, they can't fall off. The pre-cuttings for the cable inlet are placed inside the modular enclosure, so that the outer side is completely smooth, which permits to join the enclosures side by side and, moreover, to put the stepped glands, the conduit fittings and the cable glands, used to connect the enclosure, in any position.

WALL MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 60004	GC	PCS	4 modules	1/22
EC 60008	GC	PCS	8 modules	1/15
EC 60012	GC	PCS	12 modules	1/8
EC 60024	GC	PCS	24 modules (2x12)	1
EC 60036	GC	PCS	36 modules (2x18)	1
EC 60054	GC	PCS	54 modules (3x18)	1

WALL MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 9001



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 60004B	B	PCS	4 modules	1/22
EC 60008B	B	PCS	8 modules	1/15
EC 60012B	B	PCS	12 modules	1/8
EC 60024B	B	PCS	24 modules (2x12)	1
EC 60036B	B	PCS	36 modules (2x18)	1
EC 60054B	B	PCS	54 modules (3x18)	1

WALL MOUNTING MODULAR ENCLOSURES WITHOUT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 61002	GC	PCS	2 modules	50
EC 61003	GC	PCS	4 modules	25

WALL MOUNTING MODULAR ENCLOSURES WITHOUT DOOR - IP40 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 61004	GC	PCS	4 modules	1/22
EC 61008	GC	PCS	8 modules	1/15
EC 61012	GC	PCS	12 modules	1/8
EC 61024	GC	PCS	24 modules (2x12)	1
EC 61036	GC	PCS	36 modules (2x18)	1
EC 61054	GC	PCS	54 modules (3x18)	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
INSTALLATION KIT FOR WALL MOUNTING MODULAR ENCLOSURES 					PLASTIC BRACKET 					CONNETING DEVICE FOR DISTRIBUTION ENCLOSURES 				
EC 6004EQ		PCS	for 4 modules	1/22	EC 6005F	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all enclosures series 600-610	50	EC 52121	GC	PCS	joint - PG21 type	10/50
EC 6008EQ		PCS	for 8 modules	1/15						EC 52129	GC	PCS	joint - PG29 type	10/50
EC 6012EQ		PCS	for 12 modules	1/8						EC 52136	GC	PCS	joint - PG36 type	10/50
EC 6024EQ		PCS	for 24 modules	1										
EC 6036EQ		PCS	for 36 modules	1										
EC 6054EQ		PCS	for 54 modules	1										

WALL MOUNTING WATERTIGHT MODULAR ENCLOSURES - IP65 - RAL 7035



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 62004	GC	PCS	4 modules	1/22
EC 62008	GC	PCS	8 modules	1/14
EC 62012	GC	PCS	12 modules	1/8
EC 62024	GC	PCS	24 modules (2x12)	1
EC 62036	GC	PCS	36 modules (2x18)	1
EC 62054	GC	PCS	54 modules (3x18)	1
EC 62072	GC	PCS	72 modules (4x18)	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
BLANK PLATE FOR 72 MODULES ENCLOSURE 					INSTALLATION KIT FOR WALL MOUNTING WATERTIGHT MODULAR ENCLOSURES 					SAFETY LOCK 				
EC 67018	GC	PCS	blank plate 18 modules for 62072	1/10	EC 6204EQ		PCS	for 4 modules	1/22	EC 600SC		PCS	lock and 2 keys	1 kit
PLASTIC BRACKET 					EC 6208EQ PCS for 8 modules 1/14 EC 6212EQ PCS for 12 modules 1/8 EC 6224EQ PCS for 24 modules 1 EC 6236EQ PCS for 36 modules 1 EC 6254EQ PCS for 54/72 modules 1					The keys are unified and open all the locks.				
EC 600SF	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all enclosures series 620-640	50										

WALL MOUNTING WATERTIGHT EMERGENCY MODULAR ENCLOSURES - IP65



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 64004	R	PCS	4 modules - red	1/22
EC 64008	R	PCS	8 modules - red	1/14
EC 64104	GC	PCS	4 modules - grey	1/22
EC 64108	GC	PCS	8 modules - grey	1/14
EC 64401		PCS	spare glass 4 modules	10
EC 64402		PCS	spare glass 8 modules	10

BREAKING GLASS EMERGENCY PANEL - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 64202	R	PCS	call point 1NO+1NC	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EMERGENCY CALL POINT ACCESSORIES					LAMP HOLDER WITH LED				
EC 64400		PCS	stiel glass hammer with safety chain	1	EC 64420		PCS	AC/DC 12V - white light	10
EC 64403		PCS	spare glass dim. 78x76x1,85 mm	10	EC 64421		PCS	AC/DC 24V - white light	10
SPARE CONTACT					STANDARD LAMP - BLUE LIGHT				
EC 64410		PCS	spare contact NC red	10	EC L4000LN		PCS	neon AC 220V	10
EC 64411		PCS	spare contact NO green	10	EC L4000LD		PCS	LED AC 220V	10

TECHNICAL SPECIFICATION

Possibility to mount 45-78 mm high modules

Strong enclosure structure with stiffening outer ring

The transparent door is removable, and the front is reversible

Cover for unused modules included

Kits of brass terminals specific for every model, easy to install

Cable inlet by corrugated conduits up to 40 mm



The supports of the DIN-rails permit to compensate for the variable thickness of the plaster in order to align the devices at the correct depth

Self-adhesive circuit labels

The range of flush mounting modular enclosures is wide and complete: it comprises enclosures from 4 up to 72 modules available in different colours, such as grey, black, white with transparent smoky grey and white with solid door. They are suitable both for the industrial applications and for the domestic and public environments, in which the domotics plays a very important role nowadays.

The enclosures, made up of orange polystyrene, have a high mechanical strength, so that they don't get deformed during the installation; besides, they are characterized by pre-cuttings for the conduit inlet up to 40 mm. Both the bottom and the front are perfectly symmetric, so that there is no top or bottom to pay attention to during the installation. The reversible front permits to

open the door at more than 180° either right or left. The stainless steel DIN rail EN50022 can be horizontally adjusted to perfectly line up the equipments and devices. The support rails are so designed to compensate for the variable thickness of the plaster in order to align the devices at the correct depth.

FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 7035


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 63004	GC	PCS	4 modules	1/20
EC 63008	GC	PCS	8 modules	1/9
EC 63012	GC	PCS	12 modules	1/7
EC 63024	GC	PCS	24 modules (2x12)	1
EC 63036	GC	PCS	36 modules (2x18)	1
EC 63054	GC	PCS	54 modules (3x18)	1
EC 63072	GC	PCS	72 modules (4x18)	1

FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - RAL 9001


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 63004B	B	PCS	4 modules	1/20
EC 63008B	B	PCS	8 modules	1/9
EC 63012B	B	PCS	12 modules	1/7
EC 63024B	B	PCS	24 modules (2x12)	1
EC 63036B	B	PCS	36 modules (2x18)	1
EC 63054B	B	PCS	54 modules (3x18)	1
EC 63072B	B	PCS	72 modules (4x18)	1

FLUSH MOUNTING MODULAR ENCLOSURES WITH SOLID DOOR - IP40 - RAL 9001


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 63004C	B	PCS	4 modules	1/20
EC 63008C	B	PCS	8 modules	1/9
EC 63012C	B	PCS	12 modules	1/7
EC 63024C	B	PCS	24 modules (2x12)	1
EC 63036C	B	PCS	36 modules (2x18)	1
EC 63054C	B	PCS	54 modules (3x18)	1
EC 63072C	B	PCS	72 modules (4x18)	1

FLUSH MOUNTING MODULAR ENCLOSURES WITH TRANSPARENT DOOR - IP40 - BLACK


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 63004N	N	PCS	4 modules	1/20
EC 63008N	N	PCS	8 modules	1/9
EC 63012N	N	PCS	12 modules	1/7
EC 63024N	N	PCS	24 modules (2x12)	1
EC 63036N	N	PCS	36 modules (2x18)	1
EC 63054N	N	PCS	54 modules (3x18)	1
EC 63072N	N	PCS	72 modules (4x18)	1

**DRY LINING MODULAR DISTRIBUTION ENCLOSURES WITH TRANSPARENT DOOR
IP40 - RAL 9001**


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 63508B	B	PCS	8 modules	1/9
EC 63512B	B	PCS	12 modules	1/7
EC 63524B	B	PCS	24 modules (2x12)	1

NEW

WALL BOX FOR ELECTRICAL DEVICES "MYLIFE" SYSTEM OR SIMILAR - IP44



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC L5610A1	GC	PCS	1 device	1/60
EC L5610A2	GC	PCS	2 devices	1/60
EC L5610A3	GC	PCS	3 devices	1/40
EC L5610A4	GC	PCS	4 devices	1/30
EC L5610A6	GC	PCS	6 devices	1/18

WALL BOX FOR ELECTRICAL DEVICES "MYLIFE" SYSTEM OR SIMILAR - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC L5611A1	GC	PCS	1 device	1/50
EC L5611A2	GC	PCS	2 devices	1/50
EC L5611A3	GC	PCS	3 devices	1/35
EC L5611A4	GC	PCS	4 devices	1/25
EC L5611A6	GC	PCS	6 devices	1/15

On request all "MYLIFE" sockets or devices mounted.

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
INSTALLATION KIT FOR FLUSH MOUNTING MODULAR ENCLOSURES 					BLANK PLATE FOR 72 MODULES ENCLOSURE 					MODULAR BLANK PLATE - 4,5 MODULES 				
EC 6304EQ		PCS	for 4 modules	1/20	EC 67018	GC	PCS	blank plate 18 modules for 63072	1/10	EC 600TC	GC	PCS	4,5 modules - grey	25
EC 6308EQ		PCS	for 8 modules	1/9		EC 600TCB	B	PCS	4,5 modules - white	25				
EC 6312EQ		PCS	for 12 modules	1/7		EC 600TCR	R	PCS	4,5 modules - red	25				
EC 6324EQ		PCS	for 24 modules	1/5		EC 600TCN	N	PCS	4,5 modules - black	25				
EC 6336EQ		PCS	for 36 modules	1/4										
EC 6354EQ		PCS	for 54/72 modules	1										
TERMINAL BLOCK PLASTIC SUPPORTS 					BRASS TERMINAL BLOCKS 					INSULATED BRASS TERMINAL BLOCK TO BE SET ON DIN EN 50022 RAIL 				
EC 67004	GC	PCS	for 4-8	10	EC 680M1		PCS	4x25	10	EC 890050		PCS	1x35+ 6x16-blue	10/340
EC 67012	GC	PCS	for 12-24-36-54-72	10	EC 680M2		PCS	2x25-6x10	10	EC 890051		PCS	1x35+1x25+ 10x16-blue	10/320
					EC 680M3		PCS	2x25-10x10	10	EC 890052		PCS	1x35+2x25+ 12x16-blue	10/240
					EC 680M4		PCS	1x25+4x16	10	EC 890053		PCS	1x35+ 6x16-green	10/340
					EC 680M5		PCS	1x25+6x16	10	EC 890054		PCS	1x35+1x25+ 10x16-green	10/320
					EC 680M6		PCS	1x25+8x16	10	EC 890055		PCS	1x35+2x25+ 12x16-green	10/240
										EC 890056		PCS	1x35+ 6x16-black	10/340
										EC 890057		PCS	1x35+1x25+ 10x16-black	10/320
										EC 890058		PCS	1x35+2x25+ 12x16-black	10/240



JUNCTION BOXES



TECHNICAL SPECIFICATION

Particularly strong design to grant the right rigidity also on rough or irregular walls

Integrated hinges for an easy and quick installation

The back plates, the din rails and the brass terminal blocks can be mounted very easily thanks to the proper guides



A draining hole can be easily made in the box wall

Soft stepped glands perfectly fitting to the box and easy to cut

Anticorrosive steel screws or quick-closing ¼ turn plastic screws

Lid with integrated gasket

The wall mounting junction boxes are manufactured both with thermoresistant halogen free raw material and with self-extinguishing (V0 according to the Standard UL94) raw material. With 175 items, divided in different series, the range of the wall mounting boxes fulfils any distribution or derivation need the installer has: stepped glands or smooth-sides, solid or clear covers, low or high covers, steel

or plastic screws. The boxes made of self-extinguishing ABS with a high resistance to abnormal heat (960° C) is suitable for the heaviest applications and, in the red version, can be used in fire and security systems.

The polycarbonate boxes offer the installers the ideal solution for their specific and particular applications.

The boxes can be installed very

easily and quickly thanks to the accessories supplied with the box or available as fittings.

The high mechanical strength protects the wiring devices and equipments in the outdoor installations, in industrial and domestic applications.

The range also includes the boxes suitable for electrical devices like GW systems, Magic or similar ones.

NEW

POLYETHYLENE CABLE JUNCTION BOX - IP55



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 411C1	GC	PCS	80x33x38 - 6 entries cable Ø 7-9 mm	1/
EC 411C2	GC	PCS	65x65x32 - 7 entries cable Ø 8-14 mm	1/
EC 411C3	GC	PCS	75x75x35 - 12 entries cable Ø 8-14 mm	1/
EC 411C4	GC	PCS	90x90x35 - 16 entries cable Ø 8-14 mm	1/

JUNCTION BOX WITH STEPPED GLANDS - IP44



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 400C1	GC	PCS	Ø 65x35	5/120
EC 400C2	GC	PCS	Ø 80x40	5/150
EC 400C3	GC	PCS	80x80x40	5/160
EC 400C1A	GC	PCS	Ø 65x35 - GWT 960°	5/120
EC 400C2A	GC	PCS	Ø 80x40 - GWT 960°	5/150
EC 400C3A	GC	PCS	80x80x40 - GWT 960°	5/160

JUNCTION BOX WITH STEPPED GLANDS - IP55



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 400C4	GC	PCS	100x100x50	1/90
EC 400C4R	GC	PCS	120x80x50	1/90
EC 400C5	GC	PCS	150x110x70	1/45
EC 400C6	GC	PCS	190x140x70	1/25
EC 400C7	GC	PCS	240x190x90	1/14
EC 400C8	GC	PCS	300x220x120	1/6
EC 400C9	GC	PCS	380x300x120	1/4
EC 400C10	GC	PCS	460x380x120	1/4
EC 400C4A	GC	PCS	100x100x50 - GWT 960°	1/90
EC 400C4RA	GC	PCS	120x80x50 - GWT 960°	1/90
EC 400C5A	GC	PCS	150x110x70 - GWT 960°	1/45
EC 400C6A	GC	PCS	190x140x70 - GWT 960°	1/25
EC 400C7A	GC	PCS	240x190x90 - GWT 960°	1/14
EC 400C8A	GC	PCS	300x220x120 - GWT 960°	1/6
EC 400C9A	GC	PCS	380x300x120 - GWT 960°	1/4
EC 400C10A	GC	PCS	460x380x120 - GWT 960°	1/4

SMOOTH SIDED JUNCTION BOX - IP56



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 410C4	GC	PCS	100x100x50	1/100
EC 410C4R	GC	PCS	120x80x50	1/100
EC 410C5	GC	PCS	150x110x70	1/42
EC 410C6	GC	PCS	190x140x70	1/24
EC 410C7	GC	PCS	240x190x90	1/16
EC 410C8	GC	PCS	300x220x120	1/6
EC 410C9	GC	PCS	380x300x120	1/4
EC 410C10	GC	PCS	460x380x120	1/4
EC 410C4A	GC	PCS	100x100x50 - GWT 960°	1/100
EC 410C4RA	GC	PCS	120x80x50 - GWT 960°	1/100
EC 410C5A	GC	PCS	150x110x70 - GWT 960°	1/42
EC 410C6A	GC	PCS	190x140x70 - GWT 960°	1/24
EC 410C7A	GC	PCS	240x190x90 - GWT 960°	1/16
EC 410C8A	GC	PCS	300x220x120 - GWT 960°	1/6
EC 410C9A	GC	PCS	380x300x120 - GWT 960°	1/4
EC 410C10A	GC	PCS	460x380x120 - GWT 960°	1/4

SMOOTH SIDED JUNCTION BOX - TRANSPARENT LID - IP56



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 420C5	GC	PCS	150x110x70	1/42
EC 420C6	GC	PCS	190x140x70	1/24
EC 420C7	GC	PCS	240x190x90	1/16
EC 420C8	GC	PCS	300x220x120	1/6
EC 420C9	GC	PCS	380x300x120	1/4
EC 420C10	GC	PCS	460x380x120	1/4

ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
------	--------	----	------------------------------------	------------

SMOOTH SIDED JUNCTION BOX - HIGH LID - IP56



EC 430C5	GC	PCS	150x110x140	1/18
EC 430C6	GC	PCS	190x140x140	1/16
EC 430C7	GC	PCS	240x190x160	1/8
EC 430C8	GC	PCS	300x220x180	1/4
EC 430C9	GC	PCS	380x300x180	1/3

SMOOTH SIDED JUNCTION BOX - HIGH TRANSPARENT LID - IP56



EC 440C5	GC	PCS	150x110x140	1/18
EC 440C6	GC	PCS	190x140x140	1/16
EC 440C7	GC	PCS	240x190x160	1/8
EC 440C8	GC	PCS	300x220x180	1/4
EC 440C9	GC	PCS	380x300x180	1/3

ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
------	--------	----	------------------------------------	------------

SMOOTH SIDED JUNCTION BOX - IP56 - 120°C



120°
polycarbonate

EC 480C4	GC	PCS	100x100x50	1/100
EC 480C4R	GC	PCS	120x80x50	1/100
EC 480C5	GC	PCS	150x110x70	1/42
EC 480C6	GC	PCS	190x140x70	1/24
EC 480C7	GC	PCS	240x190x90	1/16
EC 480C8	GC	PCS	300x220x120	1/6
EC 480C9	GC	PCS	380x300x120	1/4
EC 480C10	GC	PCS	460x380x120	1/4

SMOOTH SIDED JUNCTION BOX - HIGH LID - IP56 - 120°C



120°
polycarbonate

EC 490C5	GC	PCS	150x110x140	1/18
EC 490C6	GC	PCS	190x140x140	1/16
EC 490C7	GC	PCS	240x190x160	1/8
EC 490C8	GC	PCS	300x220x180	1/4
EC 490C9	GC	PCS	380x300x180	1/3

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------	------	--------	----	-------------	------------	------	--------	----	-------------	------------



EC 450P6	PCS	190x140	1/30
EC 450P7	PCS	240x190	1/30
EC 450P8	PCS	300x220	1/20
EC 450P9	PCS	380x300	1/10
EC 450P10	PCS	460x380	1/10



EC 451P6	PCS	190x140	1/30
EC 451P7	PCS	240x190	1/30
EC 451P8	PCS	300x220	1/20
EC 451P9	PCS	380x300	1/10
EC 451P10	PCS	460x380	1/10



EC 460D5	PCS	150x110	10
EC 460D6	PCS	190x140	10
EC 460D7	PCS	240x190	10
EC 460D8	PCS	300x220	10
EC 460D9	PCS	380x300	10
EC 460D10	PCS	460x380	10



EC 47020	GC	PCS	concentric - hole Ø 23	100/800
EC 47025	GC	PCS	concentric - hole Ø 29	100/600
EC 47032	GC	PCS	concentric - hole Ø 37	100/500
EC 47040	GC	PCS	concentric - hole Ø 48	100/300
EC 47025S	GC	PCS	direct inlet - hole Ø 29	100/600



ECTFLEX13	GC	PCS	caps for C1-C2-C3-C4	100/2000
ECTFLEX18	GC	PCS	caps for C5-C6-C7-C8	100/2000
ECTFLEX25	GC	PCS	caps for C9-C10	100/1500



EC 600SF	GC	PCS	plastic bracket to keep IP-protection and double insulation - for all boxes series 400/410/420/430/440/480/490 - dimensions C6-C7-C8-C9-C10	50
-----------------	----	-----	---	----



EC 400KV1	PCS	10 screws for C4-C5-C6	10
EC 400KV2	PCS	10 screws for C7	10
EC 400KV3	PCS	10 screws for C8-C9-C10	10

1/4 TURN PLASTIC SCREWS

JUNCTION BOX WITH CABLE DIRECT INLET - IP55



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
EC 401C4	GC	PCS	105x105x55	1/60
EC 401C5	GC	PCS	155x110x70	1/45
EC 401C4A	GC	PCS	105x105x55 - GWT 960°	1/60
EC 401C5A	GC	PCS	155x110x70 - GWT 960°	1/45

JUNCTION BOX WITH STEPPED GLANDS - IP55



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
EC 405C4	GC	PCS	105x105x55	1/60
EC 405C5	GC	PCS	155x110x70	1/45
EC 405C4A	GC	PCS	105x105x55 - GWT 960°	1/60
EC 405C5A	GC	PCS	155x110x70 - GWT 960°	1/45

SMOOTH SIDED JUNCTION BOX - IP56



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
EC 415C4	GC	PCS	105x105x55	1/80
EC 415C5	GC	PCS	155x110x70	1/42
EC 415C4A	GC	PCS	105x105x55 - GWT 960°	1/80
EC 415C5A	GC	PCS	155x110x70 - GWT 960°	1/42

ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
RED JUNCTION BOX WITH CABLE DIRECT INLET - IP55 - V0 - 960°C				
EC 407C4A	R	PCS	105x105x55	1/60
EC 407C5A	R	PCS	155x110x70	1/45



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
RED SMOOTH SIDED JUNCTION BOX - IP56 - V0 - 960°C				
EC 416C4A	R	PCS	105x105x55	1/80
EC 416C5A	R	PCS	155x110x70	1/42



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK- AGING
RED JUNCTION BOX WITH STEPPED GLANDS - IP55 - V0 - 960°C				
EC 406C4A	R	PCS	105x105x55	1/60
EC 406C5A	R	PCS	155x110x70	1/45




ALVEOLAR BOARD WITH REVERSIBLE DOOR



ITEM	COLOUR	UM	DESCRIPTION EXTERNAL DIMENSIONS	PACK-AGING
EC 65001	GC	PCS	200x150x40	1/20
EC 65002	GC	PCS	200x150x60	1/40
EC 65003	GC	PCS	200x150x80	1/28
EC 65004	GC	PCS	300x200x40	1/30
EC 65005	GC	PCS	300x200x60	1/16
EC 65006	GC	PCS	300x200x80	1/12
EC 65007	GC	PCS	300x200x120	1/8
EC 65008	GC	PCS	400x300x60	1/8
EC 65009	GC	PCS	400x300x80	1/6
EC 65010	GC	PCS	400x300x120	1/4

ALUMINIUM WALL MOUNTING JUNCTION BOXES - IP66



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 485C1		PCS	90x90x53	1/32
EC 485C2		PCS	128x103x55	1/24
EC 485C3		PCS	154x129x58	1/16
EC 485C4		PCS	178x155x74	1/18
EC 485C5		PCS	239x202x85	1/8
EC 485C6		PCS	294x244x114	1/2
EC 485C7		PCS	392x298x144 (IP55)	1/2

METAL BACK PLATE FOR ALUMINIUM JUNCTION BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 455P2		PCS	122x97	1/30
EC 455P3		PCS	147x123	1/30
EC 455P4		PCS	165x124	1/30
EC 455P5		PCS	206x172	1/20
EC 455P6		PCS	254x210	1/10
EC 455P7		PCS	349x260	1/10

DIN RAILS EN 50022 FOR ALUMINIUM JUNCTION BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 465D1		PCS	90x90	10
EC 465D2		PCS	128x103	10
EC 465D3		PCS	154x129	10
EC 465D4		PCS	178x155	10
EC 465D5		PCS	239x202	10
EC 465D6		PCS	294x244	10
EC 465D7		PCS	392x298	10

WARNING LIGHT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 320B		PCS	blue colour	1/30
EC 320G		PCS	yellow colour	1/30
EC 320R		PCS	red colour	1/30
EC 320T		PCS	transparent colour	1/30
EC 320V		PCS	green colour	1/30

SELF-SUPPORTING PROTECTING COVER FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 316B	B	PCS	white - 3 devices	1/40
EC 316G	GC	PCS	grey - 3 devices	1/40
EC 316N	N	PCS	anthracit - 3 devices	1/40

WALL BOX FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP40



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 300A1	GC	PCS	1 device	1/60
EC 300A2	GC	PCS	2 devices	1/60
EC 300A3	GC	PCS	3 devices	1/40
EC 300A4	GC	PCS	4 devices	1/30
EC 300A4V	GC	PCS	4 vertical devices	1/25
EC 300A6	GC	PCS	6 devices	1/20
EC 300A6V	GC	PCS	6 vertical devices	1/18

WALL BOX FOR ELECTRICAL DEVICES GW SYSTEM, MAGIC OR SIMILAR - IP55



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 310A1	GC	PCS	1 device	1/50
EC 310A2	GC	PCS	2 devices	1/50
EC 310A3	GC	PCS	3 devices	1/35
EC 310A4	GC	PCS	4 devices	1/25
EC 310A4V	GC	PCS	4 vertical devices	1/20
EC 310A6V	GC	PCS	6 vertical devices	1/15

FLUSH MOUNTING JUNCTION BOX WITH COVER - IP40



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 350C1	B	PCS	92x92x45	1/240
EC 350C2	B	PCS	120x100x50	1/150
EC 350C3	B	PCS	120x100x70	1/100
EC 350C4	B	PCS	152x100x70	1/80
EC 350C5	B	PCS	160x130x70	1/60
EC 350C6	B	PCS	196x152x70	1/40
EC 350C7	B	PCS	294x152x70	1/28
EC 350C8	B	PCS	392x152x70	1/20
EC 350C9	B	PCS	480x160x70	1/18

FLUSH MOUNTING JUNCTION BOX WITH COVER AND PROTECTION LID - IP40



ITEM	COLOUR	UM	DESCRIPTION INTERNAL DIMENSIONS	PACK-AGING
EC 350C1P	B	PCS	92x92x45	1/120
EC 350C2P	B	PCS	120x100x50	1/90
EC 350C3P	B	PCS	120x100x70	1/70
EC 350C4P	B	PCS	152x100x70	1/80
EC 350C5P	B	PCS	160x130x70	1/60
EC 350C6P	B	PCS	196x152x70	1/40
EC 350C7P	B	PCS	294x152x70	1/28
EC 350C8P	B	PCS	392x152x70	1/20
EC 350C9P	B	PCS	480x160x70	1/18

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SPARE COVERS FOR FLUSH MOUNTING BOX SERIES 350



EC 351C1	B	PCS	92x92	1/200
EC 351C3	B	PCS	120x100	1/150
EC 351C4	B	PCS	152x100	1/120
EC 351C5	B	PCS	160x130	1/100
EC 351C6	B	PCS	196x152	1/50
EC 351C7	B	PCS	294x152	1/50
EC 351C8	B	PCS	392x152	1/50
EC 351C9	B	PCS	480x160	1/30

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------


INTERNAL SEPARATOR



EC 35005 PCS internal separator from C4 up to C9 10/100

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

DIN RAILS
EN 50022



EC 460 PCS 35x7,5x1 - 2 mt 20
EC 46015 PCS 35x15x1,5 - 2 mt 20
EC 460F PCS 35x7,5x1 - 2 mt perforated 20

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

INSULATED BRASS
TERMINAL BLOCK
TO BE SET ON DIN
EN 50022 RAIL



EC 890050 PCS 1x35+6x16-blue 10/340
EC 890051 PCS 1x35+1x25+10x16-blue 10/320
EC 890052 PCS 1x35+2x25+12x16-blue 10/240
EC 890053 PCS 1x35+6x16-green 10/340
EC 890054 PCS 1x35+1x25+10x16-green 10/320
EC 890055 PCS 1x35+2x25+12x16-green 10/240
EC 890056 PCS 1x35+6x16-black 10/340
EC 890057 PCS 1x35+1x25+10x16-black 10/320
EC 890058 PCS 1x35+2x25+12x16-black 10/240

60x60 STANDARD MODULAR BOX FOR DEVICE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 37301	AR	PCS	2 devices	300

MODULAR BOX FOR DEVICE - HIGH INTERNAL VOLUME



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 37100	G	PCS	3 devices	10/400
EC 37104	G	PCS	4 devices	10/240
EC 37106	G	PCS	6 devices	10/150
EC 37110	G	PCS	3 devices protection lid	10/400
EC 37114	G	PCS	4 devices protection lid	10/800
EC 37116	G	PCS	6 devices protection lid	10/800
EC 37111	G	PCS	plastic spacer	20/200

FLUSH MOUNTING ROUND BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 37065	AR	PCS	box Ø 60x40	10/600
EC 37085	AR	PCS	box Ø 80x40	10/400
EC 37160	B	PCS	screwless cover Ø 60	50/2000
EC 37165	B	PCS	cover with brackets Ø 60	50/800
EC 37180	B	PCS	screwless cover Ø 80	50/1200
EC 37185	B	PCS	cover with brackets Ø 80	50/600
EC 37322	AR	PCS	protection lid Ø 60	10/3000
EC 37323	AR	PCS	protection lid Ø 80	10/2000

DRY LINING INSTALLATION BOX - MODULAR DEVICES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 34003	BL	PCS	3 devices	10/300
EC 34004	BL	PCS	4 devices	10/230
EC 34006	BL	PCS	6 devices	10/160
EC 34040	BL	PCS	Ø 68x40 - 2 devices	10/550

DRY LINING INSTALLATION JUNCTION BOXES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 34045	BL	PCS	Ø 80x45	10/350
EC 37180	B	PCS	screwless cover Ø 80	50/1200
EC 37185	B	PCS	cover with brackets Ø 80	50/600
EC 340105	BL	PCS	120x100x50 - internal dimensions	1/150
EC 340106	BL	PCS	200x150x75 - internal dimensions	1/40

CONDUITS SYSTEMS



1

RIGIS, PLIABLE AND FLEXIBLE SPIRAL CONDUITS



2

ACCESSORIES FOR CONDUIT SYSTEMS



3

IP67 ACCESSORIES FOR CONDUIT SYSTEMS



4

CABLE GLANDS, CABLE TIES, TERMINAL BLOCKS

TECHNICAL SPECIFICATION



The conduit-fitting systems, complying with the requirements of the Reference Standards EN 61386-1 and EN 61386-21, include plain or sleeved rigid conduits made of self-extinguishing technopolymer on rigid PVC base or halogen free raw materials according to the Standard EN50267-2-1 and EN 50267-1-2.

The halogen free conduits are strongly recommended for crowded places like airports, schools, theatres, tunnels, ecc, because they are characterized by a low very emission or complete

lack of toxic gases and of light smoke which doesn't prevent from locating the emergency exits and darkening the light sources.


The pliable conduits are available in two different versions: one manufactured with self-extinguishing (V0 according to the Standard UL94) technopolymer on PVC base and the other manufactured with self-extinguishing self-recovering halogen free polypropylene.

Great attention is given to the conduit packaging. Both the bundles of rigid conduits and the

coils of pliable conduits are wrapped in stretch film. The pallets are covered by white film, granting a very good protection against UV-rays and atmospheric agents. The pallets of pliable conduits also have a plastic hook on the top.


The range is completed by the spiral flexible conduits suitable for industrial as well as domestic uses thanks to their flexibility, resistance to compression, chemical agents, particularly oils and greases.

RIGID CONDUITS CLASS. 3321 IN 3 MT BARS




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TG1516	GC	MT	rigid conduit Ø 16	102/3162
EC TG1520	GC	MT	rigid conduit Ø 20	102/2040
EC TG1525	GC	MT	rigid conduit Ø 25	60/1440
EC TG1532	GC	MT	rigid conduit Ø 32	30/840
EC TG1540	GC	MT	rigid conduit Ø 40	30/540
EC TG1550	GC	MT	rigid conduit Ø 50	15/360
EC TG1563	GC	MT	rigid conduit Ø 63	180

RIGID CONDUITS CLASS. 2221 IN 3 MT BARS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TG1216	GC	MT	rigid conduit Ø 16	102/3162
EC TG1220	GC	MT	rigid conduit Ø 20	102/2040
EC TG1225	GC	MT	rigid conduit Ø 25	60/1440
EC TG1232	GC	MT	rigid conduit Ø 32	30/840
EC TG1240	GC	MT	rigid conduit Ø 40	30/540
EC TG1250	GC	MT	rigid conduit Ø 50	15/360

HALOGEN FREE RIGID CONDUITS CLASS. 2342 IN 3 MT BARS - WITH SLEEVE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TG2016B	GC	MT	rigid conduit Ø 16	102/3162
EC TG2020B	GC	MT	rigid conduit Ø 20	102/2040
EC TG2025B	GC	MT	rigid conduit Ø 25	60/1440
EC TG2032B	GC	MT	rigid conduit Ø 32	30/840
EC TG2040B	GC	MT	rigid conduit Ø 40	30/540
EC TG2050B	GC	MT	rigid conduit Ø 50	15/360

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

RIGID CONDUITS CLASS. 3321 IN 3 MT BARS WITH SLEEVE



ECTG1516B	GC	MT	rigid conduit Ø 16	75/3000
ECTG1520B	GC	MT	rigid conduit Ø 20	51/2040
ECTG1525B	GC	MT	rigid conduit Ø 25	51/1428
ECTG1532B	GC	MT	rigid conduit Ø 32	30/840
ECTG1540B	GC	MT	rigid conduit Ø 40	21/420
ECTG1550B	GC	MT	rigid conduit Ø 50	15/360

RIGID CONDUITS CLASS. 2221 IN 3 MT BARS WITH SLEEVE



ECTG1216B	GC	MT	rigid conduit Ø 16	102/3162
ECTG1220B	GC	MT	rigid conduit Ø 20	102/2040
ECTG1225B	GC	MT	rigid conduit Ø 25	60/1440
ECTG1232B	GC	MT	rigid conduit Ø 32	30/840
ECTG1240B	GC	MT	rigid conduit Ø 40	30/540
ECTG1250B	GC	MT	rigid conduit Ø 50	15/360

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

STEEL SPRING FOR COLD-BENDING OF THE RIGID CONDUITS



EC AC16	PCS		for rigid conduit Ø 16	1
EC AC20	PCS		for rigid conduit Ø 20	1
EC AC25	PCS		for rigid conduit Ø 25	1
EC AC32	PCS		for rigid conduit Ø 32	1

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

HALOGEN FREE RIGID CONDUITS CLASS. 3342 IN 3 MT BARS




ECTG2116	GC	MT	rigid conduit Ø 16	102/3162
ECTG2120	GC	MT	rigid conduit Ø 20	102/2040
ECTG2125	GC	MT	rigid conduit Ø 25	60/1440
ECTG2132	GC	MT	rigid conduit Ø 32	30/840
ECTG2140	GC	MT	rigid conduit Ø 40	30/540
ECTG2150	GC	MT	rigid conduit Ø 50	15/360

3342

ON REQUEST IN 2 MT BARS

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321




3321

Conduits available with draw tape on request. Please add the letter "T" to the item code.

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TC1516	N	MT	pliable conduit Ø 16	100/6000
EC TC151650	N	MT	pliable conduit Ø 16	50/4800
EC TC1520	N	MT	pliable conduit Ø 20	100/5200
EC TC152050	N	MT	pliable conduit Ø 20	50/3300
EC TC1525	N	MT	pliable conduit Ø 25	50/3000
EC TC1532	N	MT	pliable conduit Ø 32	25/1600
EC TC1540	N	MT	pliable conduit Ø 40	25/1000
EC TC1550	N	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221



2221

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TC1216	GC	MT	pliable conduit Ø 16	100/6000
EC TC121650	GC	MT	pliable conduit Ø 16	50/4800
EC TC1220	GC	MT	pliable conduit Ø 20	100/4800
EC TC122050	GC	MT	pliable conduit Ø 20	50/3300
EC TC1225	GC	MT	pliable conduit Ø 25	50/2800
EC TC1225100	GC	MT	pliable conduit Ø 25	100/3600
EC TC1232	GC	MT	pliable conduit Ø 32	25/1600
EC TC123250	GC	MT	pliable conduit Ø 32	50/1800
EC TC1240	GC	MT	pliable conduit Ø 40	25/1000
EC TC1250	GC	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341



-25° C

3341

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TC1816	G	MT	pliable conduit Ø 16	100/6000
EC TC181650	G	MT	pliable conduit Ø 16	50/4800
EC TC1820	G	MT	pliable conduit Ø 20	100/4800
EC TC182050	G	MT	pliable conduit Ø 20	50/3300
EC TC1825	G	MT	pliable conduit Ø 25	50/2800
EC TC1825100	G	MT	pliable conduit Ø 25	100/3600
EC TC1832	G	MT	pliable conduit Ø 32	25/1600
EC TC183250	G	MT	pliable conduit Ø 32	50/1800
EC TC1840	G	MT	pliable conduit Ø 40	25/1000
EC TC1850	G	MT	pliable conduit Ø 50	25/800

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - 25 MT COILS



ECTC151625	N	PCS	pliable conduit Ø 16	198
ECTC152025	N	PCS	pliable conduit Ø 20	132
ECTC152525	N	PCS	pliable conduit Ø 25	99

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - 10 MT COILS



ECTC151610	N	PCS	pliable conduit Ø 16	288
ECTC152010	N	PCS	pliable conduit Ø 20	216
ECTC152510	N	PCS	pliable conduit Ø 25	165

PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221 - 25 MT COILS



ECTC121625	GC	PCS	pliable conduit Ø 16	165
ECTC122025	GC	PCS	pliable conduit Ø 20	121
ECTC122525	GC	PCS	pliable conduit Ø 25	90

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341 (-25°C) - 25 MT COILS



-25° C

ECTC181625	G	PCS	pliable conduit Ø 16	165
ECTC182025	G	PCS	pliable conduit Ø 20	121
ECTC182525	G	PCS	pliable conduit Ø 25	90

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

PLIABLE CORRUGATED PVC CONDUITS CLASS. 3321 - COLOURED



ECTC1516		MT	pliable conduit Ø 16	100/6000
ECTC1520		MT	pliable conduit Ø 20	100/5200
ECTC1525		MT	pliable conduit Ø 25	50/3000
ECTC1532		MT	pliable conduit Ø 32	25/1600

• Please add the colour code to the item code: **VE**=Green, **B**=White, **BL**=Blue, **M**=Brown, **L**=Violet.

PLIABLE CORRUGATED PVC CONDUITS CLASS. 2221 - 10 MT COILS



ECTC121610	GC	PCS	pliable conduit Ø 16	288
ECTC122010	GC	PCS	pliable conduit Ø 20	216
ECTC122510	GC	PCS	pliable conduit Ø 25	154


PLIABLE CORRUGATED PVC CONDUITS CLASS. 3341 (-25°C) - 10 MT COILS



-25° C


ECTC181610	G	PCS	pliable conduit Ø 16	288
ECTC182010	G	PCS	pliable conduit Ø 20	216
ECTC182510	G	PCS	pliable conduit Ø 25	154

PLIABLE CORRUGATED SELF-EXTINGUISHING-LUBRICATED CONDUITS CLASS. 3422 ICTA




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC ICTA16	G	MT	pliable conduit Ø 16	100/7000
EC ICTA20	G	MT	pliable conduit Ø 20	100/5000
EC ICTA25	G	MT	pliable conduit Ø 25	100/3600
EC ICTA32	G	MT	pliable conduit Ø 32	50/1800
EC ICTA40	G	MT	pliable conduit Ø 40	25/1000
EC ICTA50	G	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-EXTINGUISHING-LUBRICATED CONDUITS CLASS. 3422 ICTA WITH DRAW TAPE




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC ICTA16T	G	MT	pliable conduit Ø 16	100/7000
EC ICTA20T	G	MT	pliable conduit Ø 20	100/5000
EC ICTA25T	G	MT	pliable conduit Ø 25	100/3600
EC ICTA32T	G	MT	pliable conduit Ø 32	50/1800
EC ICTA40T	G	MT	pliable conduit Ø 40	25/1000
EC ICTA50T	G	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-EXTINGUISHING-LUBRICATED CONDUITS CLASS. 3422 ICTA LSZH




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC ICTA16HF	G	MT	pliable conduit Ø 16	100/7000
EC ICTA20HF	G	MT	pliable conduit Ø 20	100/5000
EC ICTA25HF	G	MT	pliable conduit Ø 25	100/3600
EC ICTA32HF	G	MT	pliable conduit Ø 32	50/1800
EC ICTA40HF	G	MT	pliable conduit Ø 40	25/1000
EC ICTA50HF	G	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-EXTINGUISHING-LUBRICATED CONDUITS CLASS. 3422 ICTA LSZH WITH DRAW TAPE




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC ICTA16HFT	G	MT	pliable conduit Ø 16	100/7000
EC ICTA20HFT	G	MT	pliable conduit Ø 20	100/5000
EC ICTA25HFT	G	MT	pliable conduit Ø 25	100/3600
EC ICTA32HFT	G	MT	pliable conduit Ø 32	50/1800
EC ICTA40HFT	G	MT	pliable conduit Ø 40	25/1000
EC ICTA50HFT	G	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-EXTINGUISHING-LUBRICATED CONDUITS CLASS. 3422 ICTA LSZH - PREWIRED




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC ICTA163G15U	G	MT	H07V-U 3G1,5 - Ø 16	100/2800
EC ICTA163G15U	G	MT	H07V-U 3G2,5 - Ø 16	100/2800
EC ICTA164G15U	G	MT	H07V-U 4G1,5 - Ø 16	100/2800
EC ICTA165G15U	G	MT	H07V-U 5G1,5 - Ø 16	100/2800
EC ICTA165G25U	G	MT	H07V-U 5G2,5 - Ø 16	100/2800
EC ICTA205G25U	G	MT	H07V-U 5G2,5 - Ø 20	100/2400
EC ICTA163G15R	G	MT	H07V-R 3G1,5 - Ø 16	100/2800
EC ICTA164G15R	G	MT	H07V-R 4G1,5 - Ø 16	100/2800
EC ICTA165G15R	G	MT	H07V-R 5G1,5 - Ø 16	100/2800
EC ICTA163G25R	G	MT	H07V-R 3G2,5 - Ø 16	100/2800
EC ICTA205G25R	G	MT	H07V-R 5G2,5 - Ø 20	100/2400

PLIABLE CORRUGATED SELF-RECOVERING-LUBRICATED CONDUITS CLASS. 2232 TP




ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TP1216	AR	MT	pliable conduit Ø 16	100/7000
EC TP1220	AR	MT	pliable conduit Ø 20	100/5000
EC TP1225	AR	MT	pliable conduit Ø 25	50/3000
EC TP1232	AR	MT	pliable conduit Ø 32	25/1600
EC TP1240	AR	MT	pliable conduit Ø 40	25/1000
EC TP1250	AR	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-RECOVERING-LUBRICATED CONDUITS CLASS. 2422 TP



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TP1516	AR	MT	pliable conduit Ø 16	100/7000
EC TP1520	AR	MT	pliable conduit Ø 20	100/5000
EC TP1525	AR	MT	pliable conduit Ø 25	50/3000
EC TP1532	AR	MT	pliable conduit Ø 32	25/1600
EC TP1540	AR	MT	pliable conduit Ø 40	25/1000
EC TP1550	AR	MT	pliable conduit Ø 50	25/800

PLIABLE CORRUGATED SELF-RECOVERING-LUBRICATED CONDUITS CLASS. 2332 TP - LSZH



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC TP2016	N	MT	pliable conduit Ø 16	100/7000
EC TP2020	N	MT	pliable conduit Ø 20	100/5000
EC TP2025	N	MT	pliable conduit Ø 25	50/3000
EC TP2032	N	MT	pliable conduit Ø 32	25/1600
EC TP2040	N	MT	pliable conduit Ø 40	25/1000
EC TP2050	N	MT	pliable conduit Ø 50	25/800

SPIRAL FLEXIBLE PVC CONDUITS - CLASS. 2311 - GREY



2311

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC GFE08	GC	MT	internal Ø 8	30/2070
EC GFE10	GC	MT	internal Ø 10	30/1800
EC GFE12	GC	MT	internal Ø 12	30/1800
EC GFE14	GC	MT	internal Ø 14	30/1440
EC GFE16	GC	MT	internal Ø 16	30/1080
EC GFE20	GC	MT	internal Ø 20	30/1080
EC GFE22	GC	MT	internal Ø 22	30/720
EC GFE25	GC	MT	internal Ø 25	30/600
EC GFE28	GC	MT	internal Ø 28	30/480
EC GFE32	GC	MT	internal Ø 32	30/480
EC GFE35	GC	MT	internal Ø 35	30/480
EC GFE40	GC	MT	internal Ø 40	30/360
EC GFE50	GC	MT	internal Ø 50	30/180
EC GFE60	GC	MT	internal Ø 60	30/120

SPIRAL FLEXIBLE PVC CONDUITS - CLASS. 2311 - BLACK



2311

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC GFE08N	N	MT	internal Ø 8	30/2070
EC GFE10N	N	MT	internal Ø 10	30/1800
EC GFE12N	N	MT	internal Ø 12	30/1800
EC GFE14N	N	MT	internal Ø 14	30/1440
EC GFE16N	N	MT	internal Ø 16	30/1080
EC GFE20N	N	MT	internal Ø 20	30/1080
EC GFE22N	N	MT	internal Ø 22	30/720
EC GFE25N	N	MT	internal Ø 25	30/600
EC GFE28N	N	MT	internal Ø 28	30/480
EC GFE32N	N	MT	internal Ø 32	30/480
EC GFE35N	N	MT	internal Ø 35	30/480
EC GFE40N	N	MT	internal Ø 40	30/360
EC GFE50N	N	MT	internal Ø 50	30/180
EC GFE60N	N	MT	internal Ø 60	30/120

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SPIRAL FLEXIBLE CONDUIT-BOX JOINTS GAS THREAD - IP65



EC GX10	GC	PCS	thread 1/4"	25/500
EC GX12	GC	PCS	thread 3/8"	25/500
EC GX14	GC	PCS	thread 1/2"	25/400
EC GX16	GC	PCS	thread 1/2"	25/350
EC GX20	GC	PCS	thread 3/4"	25/250
EC GX22	GC	PCS	thread 3/4"	25/250
EC GX25	GC	PCS	thread 1"	10/150
EC GX28	GC	PCS	thread 1"	10/120
EC GX32	GC	PCS	thread 1" and 1/4"	10/90
EC GX35	GC	PCS	thread 1" and 1/4"	10/70
EC GX40	GC	PCS	thread 1" and 1/2"	10/60
EC GX50	GC	PCS	thread 2"	10/50

Also available in black colour: item +N

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

SPIRAL FLEXIBLE CONDUIT-BOX JOINTS PG THREAD - IP65



EC GX10-9	GC	PCS	PG9	25/500
EC GX12-11	GC	PCS	PG11	25/500
EC GX12-13	GC	PCS	PG13,5	25/500
EC GX14-13	GC	PCS	PG13,5	25/400
EC GX16-11	GC	PCS	PG11	25/350
EC GX16-13	GC	PCS	PG13,5	25/350
EC GX16-16	GC	PCS	PG16	25/350
EC GX20-21	GC	PCS	PG21	25/250
EC GX22-21	GC	PCS	PG21	25/250
EC GX25-29	GC	PCS	PG29	10/150
EC GX28-29	GC	PCS	PG29	10/120
EC GX32-36	GC	PCS	PG36	10/90
EC GX35-36	GC	PCS	PG36	10/70

Also available in black colour: item +N

SPIRAL FLEXIBLE CONDUIT-BOX JOINTS METRIC THREAD - IP65



EC GX10M	GC	PCS	thread 15 mm	25/500
EC GX12M	GC	PCS	thread 16 mm	25/500
EC GX16M	GC	PCS	thread 20 mm	25/350
EC GX20M	GC	PCS	thread 25 mm	25/250
EC GX25M	GC	PCS	thread 32 mm	10/150
EC GX32M	GC	PCS	thread 40 mm	10/90
EC GX40M	GC	PCS	thread 50 mm	10/60
EC GX50M	GC	PCS	thread 55 mm	10/50

Also available in black colour: item +N

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

COUPLING FOR CORRUGATED CONDUITS



EC GFLEX16	I	PCS	coupling Ø 16	100/2000
EC GFLEX20	I	PCS	coupling Ø 20	100/1200
EC GFLEX25	I	PCS	coupling Ø 25	100/700
EC GFLEX32	I	PCS	coupling Ø 32	100/400
EC GFLEX40	I	PCS	coupling Ø 40	300
EC GFLEX50	I	PCS	coupling Ø 50	150

CAPS FOR CORRUGATED CONDUITS



EC TFLEX16	I	PCS	cap Ø 16	100/2000
EC TFLEX20	I	PCS	cap Ø 20	100/2000
EC TFLEX25	I	PCS	cap Ø 25	100/1500
EC TFLEX32	I	PCS	cap Ø 32	50/800
EC TFLEX40	I	PCS	cap Ø 40	50/500
EC TFLEX50	I	PCS	cap Ø 50	50/300

GROUND BOXES



EC POZ.20	GC	PCS	200x200	1
EC POZ.25	GC	PCS	250x250 watertight	1
EC POZ.30	GC	PCS	300x300	1
EC POZ.40	GC	PCS	400x400	1

INSPECTIONABLE 90° BEND - IP40



EC CI16	GC	PCS	90° bend Ø 16	100/400
EC CI20	GC	PCS	90° bend Ø 20	100/300
EC CI25	GC	PCS	90° bend Ø 25	100/200
EC CI32	GC	PCS	90° bend Ø 32	50/150

INSPECTIONABLE T JOINT - IP40



EC TI16	GC	PCS	T joint Ø 16	100/300
EC TI20	GC	PCS	T joint Ø 20	100/200
EC TI25	GC	PCS	T joint Ø 25	50/100
EC TI32	GC	PCS	T joint Ø 32	50/100

HALOGEN FREE 90° BENDS - IP40



EC CRS16H	GC	PCS	90° bend Ø 16	100/1000
EC CRS20H	GC	PCS	90° bend Ø 20	50/600
EC CRS25H	GC	PCS	90° bend Ø 25	25/300
EC CRS32H	GC	PCS	90° bend Ø 32	100
EC CRS40H	GC	PCS	90° bend Ø 40	100
EC CRS50H	GC	PCS	90° bend Ø 50	50

HALOGEN FREE COUPLING - IP40



EC GSU16H	GC	PCS	coupling Ø 16	100/1200
EC GSU20H	GC	PCS	coupling Ø 20	100/800
EC GSU25H	GC	PCS	coupling Ø 25	50/500
EC GSU32H	GC	PCS	coupling Ø 32	25/250
EC GSU40H	GC	PCS	coupling Ø 40	25/150
EC GSU50H	GC	PCS	coupling Ø 50	25/100

HALOGEN FREE SNAP CONDUIT CLIPS



EC CF16	GC	PCS	clips Ø 16	100/1500
EC CF20	GC	PCS	clips Ø 20	100/1000
EC CF25	GC	PCS	clips Ø 25	100/1000
EC CF32	GC	PCS	clips Ø 32	100/800
EC CF40	GC	PCS	clips Ø 40	50/400
EC CF50	GC	PCS	clips Ø 50	25/250


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

90° BENDS - IP40



EC CRS16	GC	PCS	90° bend Ø 16	100/1000
EC CRS20	GC	PCS	90° bend Ø 20	50/600
EC CRS25	GC	PCS	90° bend Ø 25	25/300
EC CRS32	GC	PCS	90° bend Ø 32	100
EC CRS40	GC	PCS	90° bend Ø 40	100
EC CRS50	GC	PCS	90° bend Ø 50	50

FLEXIBLE BENDS - IP44



EC CV16	GC	PCS	flexible bend Ø 16	20/300
EC CV20	GC	PCS	flexible bend Ø 20	20/200
EC CV25	GC	PCS	flexible bend Ø 25	20/120
EC CV32	GC	PCS	flexible bend Ø 32	10/80

COUPLING - IP40



EC GSU16	GC	PCS	coupling Ø 16	100/1200
EC GSU20	GC	PCS	coupling Ø 20	100/800
EC GSU25	GC	PCS	coupling Ø 25	50/500
EC GSU32	GC	PCS	coupling Ø 32	25/250
EC GSU40	GC	PCS	coupling Ø 40	25/150
EC GSU50	GC	PCS	coupling Ø 50	25/100

SMOOTH JOINT - IP40



EC GI16	GC	PCS	joint Ø 16	100/2000
EC GI20	GC	PCS	joint Ø 20	100/1200
EC GI25	GC	PCS	joint Ø 25	100/700
EC GI32	GC	PCS	joint Ø 32	400
EC GI40	GC	PCS	joint Ø 40	200
EC GI50	GC	PCS	joint Ø 50	100

CONDUIT-BOX JOINTS - IP65



EC BS16	GC	PCS	conduit-box Ø 16	10/350
EC BS20	GC	PCS	conduit-box Ø 20	10/350
EC BS25	GC	PCS	conduit-box Ø 25	10/200
EC BS32	GC	PCS	conduit-box Ø 32	10/100
EC BS40	GC	PCS	conduit-box Ø 40	5/80
EC BS50	GC	PCS	conduit-box Ø 50	5/40

CONDUIT-CONDUIT JOINTS - IP65



EC MS16	GC	PCS	conduit-conduit Ø 16	10/350
EC MS20	GC	PCS	conduit-conduit Ø 20	10/200
EC MS25	GC	PCS	conduit-conduit Ø 25	10/200
EC MS32	GC	PCS	conduit-conduit Ø 32	10/100
EC MS40	GC	PCS	conduit-conduit Ø 40	5/80
EC MS50	GC	PCS	conduit-conduit Ø 50	5/40

RIGID-FLEXIBLE CONDUIT JOINTS - IP65



EC GS16	GC	PCS	rigid Ø 16-flexible Ø 12	10/350
EC GS20	GC	PCS	rigid Ø 20-flexible Ø 16	10/350
EC GS25	GC	PCS	rigid Ø 25-flexible Ø 20	10/200
EC GS32	GC	PCS	rigid Ø 32-flexible Ø 25	10/100
EC GS40	GC	PCS	rigid Ø 40-flexible Ø 32	5/100
EC GS50	GC	PCS	rigid Ø 50-flexible Ø 40	5/40

RIGID-FLEXIBLE CONDUIT SAME DIAMETER JOINTS - IP65



EC RS16	GC	PCS	rigid-flexible Ø 16	10/200
EC RS20	GC	PCS	rigid-flexible Ø 20	10/200
EC RS25	GC	PCS	rigid-flexible Ø 25	10/160
EC RS32	GC	PCS	rigid-flexible Ø 32	10/80
EC RS40	GC	PCS	rigid-flexible Ø 40	5/60
EC RS50	GC	PCS	rigid-flexible Ø 50	5/40

2 ACCESSORIES FOR CONDUIT SYSTEMS, FIXING SYSTEMS

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

90° BENDS - IP65



EC CS16	GC	PCS	90° bend Ø 16	10/200
EC CS20	GC	PCS	90° bend Ø 20	10/200
EC CS25	GC	PCS	90° bend Ø 25	10/100
EC CS32	GC	PCS	90° bend Ø 32	10/50
EC CS40	GC	PCS	90° bend Ø 40	5/20
EC CS50	GC	PCS	90° bend Ø 50	12

FLEXIBLE BEND - IP65



EC CXT16	GC	PCS	flexible bend Ø 16	50/200
EC CXT20	GC	PCS	flexible bend Ø 20	50/200
EC CXT25	GC	PCS	flexible bend Ø 25	35/140
EC CXT32	GC	PCS	flexible bend Ø 32	20/80
EC CXT40	GC	PCS	flexible bend Ø 40	10/40
EC CXT50	GC	PCS	flexible bend Ø 50	10/40

CONDUIT-BOX FLEXIBLE JOINTS - IP65



EC CXS16	GC	PCS	conduit-box Ø 16	50/200
EC CXS20	GC	PCS	conduit-box Ø 20	50/200
EC CXS25	GC	PCS	conduit-box Ø 25	35/140
EC CXS32	GC	PCS	conduit-box Ø 32	20/80
EC CXS40	GC	PCS	conduit-box Ø 40	15/60
EC CXS50	GC	PCS	conduit-box Ø 50	10/40

e@system

CONDUIT-BOX JOINTS - IP67



EC 70016	GC	PCS	conduit-box Ø 16	25/500
EC 70020	GC	PCS	conduit-box Ø 20	25/500
EC 70025	GC	PCS	conduit-box Ø 25	25/400
EC 70032	GC	PCS	conduit-box Ø 32	25/200
EC 70040	GC	PCS	conduit-box Ø 40	10/100
EC 70050	GC	PCS	conduit-box Ø 50	10/70

CONDUIT-CONDUIT JOINTS - IP67



EC 71016	GC	PCS	conduit-conduit Ø 16	25/500
EC 71020	GC	PCS	conduit-conduit Ø 20	25/400
EC 71025	GC	PCS	conduit-conduit Ø 25	25/250
EC 71032	GC	PCS	conduit-conduit Ø 32	25/150
EC 71040	GC	PCS	conduit-conduit Ø 40	10/70
EC 71050	GC	PCS	conduit-conduit Ø 50	10/50

RIGID-FLEXIBLE CONDUIT JOINTS - IP67



EC 72016	GC	PCS	rigid-flexible Ø 16	25/500
EC 72020	GC	PCS	rigid-flexible Ø 20	25/500
EC 72025	GC	PCS	rigid-flexible Ø 25	25/300
EC 72032	GC	PCS	rigid-flexible Ø 32	25/200
EC 72040	GC	PCS	rigid-flexible Ø 40	10/100
EC 72050	GC	PCS	rigid-flexible Ø 50	10/60

90° BENDS - IP67



EC 73016	GC	PCS	90° bend Ø 16	25/300
EC 73020	GC	PCS	90° bend Ø 20	25/200
EC 73025	GC	PCS	90° bend Ø 25	25/100
EC 73032	GC	PCS	90° bend Ø 32	25/50
EC 73040	GC	PCS	90° bend Ø 40	10/30
EC 73050	GC	PCS	90° bend Ø 50	15

3 IP67 ACCESSORIES FOR RIGID CONDUIT "SECURITY SYSTEM"

SECURITY SYSTEM

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

CONDUIT-BOX JOINTS - IP67 - CO-MOULDED GASKET



EC 74116	GC	PCS	conduit-box Ø 16	10/350
EC 74120	GC	PCS	conduit-box Ø 20	10/350
EC 74125	GC	PCS	conduit-box Ø 25	10/200
EC 74132	GC	PCS	conduit-box Ø 32	10/100
EC 74140	GC	PCS	conduit-box Ø 40	5/80
EC 74150	GC	PCS	conduit-box Ø 50	5/40

HALOGEN Free

CONDUIT-CONDUIT JOINTS - IP67 - CO-MOULDED GASKET



EC 74016	GC	PCS	conduit-conduit Ø 16	10/250
EC 74020	GC	PCS	conduit-conduit Ø 20	10/200
EC 74025	GC	PCS	conduit-conduit Ø 25	10/150
EC 74032	GC	PCS	conduit-conduit Ø 32	10/100
EC 74040	GC	PCS	conduit-conduit Ø 40	5/50
EC 74050	GC	PCS	conduit-conduit Ø 50	5/40

HALOGEN Free

RIGID-FLEXIBLE CONDUIT JOINTS - IP67 - CO-MOULDED GASKET



EC 74216	GC	PCS	rigid-flexible Ø 16	10/350
EC 74220	GC	PCS	rigid-flexible Ø 20	10/250
EC 74225	GC	PCS	rigid-flexible Ø 25	10/200
EC 74232	GC	PCS	rigid-flexible Ø 32	10/100
EC 74240	GC	PCS	rigid-flexible Ø 40	5/80
EC 74250	GC	PCS	rigid-flexible Ø 50	5/40

HALOGEN Free

90° BENDS - IP67 - CO-MOULDED GASKET



EC 74316	GC	PCS	90° bend Ø 16	10/150
EC 74320	GC	PCS	90° bend Ø 20	10/100
EC 74325	GC	PCS	90° bend Ø 25	10/100
EC 74332	GC	PCS	90° bend Ø 32	10/50
EC 74340	GC	PCS	90° bend Ø 40	5/20
EC 74350	GC	PCS	90° bend Ø 50	5/15

HALOGEN Free

Ø 3 mm NYLON CABLE DRAW TAPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC S3-05	I	PCS	5 mt	340
EC S3-10	I	PCS	10 mt	180
EC S3-15	I	PCS	15 mt	120
EC S3-20	I	PCS	20 mt	90
EC S3-25	I	PCS	25 mt	70
EC S3-30	I	PCS	30 mt	60

Ø 4 mm NYLON CABLE DRAW TAPE



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC S4-05	I	PCS	5 mt	200
EC S4-10	I	PCS	10 mt	100
EC S4-15	I	PCS	15 mt	60
EC S4-20	I	PCS	20 mt	50
EC S4-25	I	PCS	25 mt	40
EC S4-30	I	PCS	30 mt	36

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
------	--------	----	-------------	------------

HALOGEN FREE SNAP CONDUIT CLIPS



EC CF16	GC	PCS	clips Ø 16	100/1500
EC CF20	GC	PCS	clips Ø 20	100/1000
EC CF25	GC	PCS	clips Ø 25	100/1000
EC CF32	GC	PCS	clips Ø 32	100/800
EC CF40	GC	PCS	clips Ø 40	50/400
EC CF50	GC	PCS	clips Ø 50	25/250

COLLAR CONDUIT CLIPS



EC CFC16	GC	PCS	clips Ø 16	100/1000
EC CFC20	GC	PCS	clips Ø 20	100/1000
EC CFC25	GC	PCS	clips Ø 25	100/800
EC CFC32	GC	PCS	clips Ø 32	50/500

MODULAR FIXING GUIDE FOR CF AND CFC SERIES



EC GC	GC	PCS	L=200 mm	400
--------------	----	-----	----------	-----

CONDUIT CLIPS WITH PLUG AND STEEL SCREW



EC CT16	GC	PCS	clips Ø 16	100/1000
EC CT20	GC	PCS	clips Ø 20	100/1000
EC CT25	GC	PCS	clips Ø 25	100/800
EC CT32	GC	PCS	clips Ø 32	50/400

CLAMP CONDUIT CLIPS



EC C12	GC	PCS	clips Ø 12-20	100/1400
EC C16	GC	PCS	clips Ø 14-22	100/1000
EC C25	GC	PCS	clips Ø 23-35	50/500
EC C50	GC	PCS	clips Ø 38-50	50/250

TIE CONDUIT CLIPS



EC CFF1	GC	PCS	min. Ø 16 - max Ø 32	100/1400
EC CFF2	GC	PCS	min. Ø 32 - max Ø 63	50/700

ROUND CLIPS WITH ASSEMBLED STEEL NAIL - WHITE*



EC GT4BW50	B	BLISTER	round clip 3-4 mm	1/400
EC GT6BW50	B	BLISTER	round clip 5-6 mm	1/240
EC GT7BW50	B	BLISTER	round clip 6-7 mm	1/240
EC GT8BW50	B	BLISTER	round clip 7-8 mm	1/200
EC GT10BW50	B	BLISTER	round clip 9-10 mm	1/120
EC GT13BW50	B	BLISTER	round clip 13-14 mm	1/140
EC GT16BW50	B	BLISTER	round clip 15-16 mm	1/80
EC GT19BW50	B	BLISTER	round clip 19-20 mm	1/60
EC GT25BW50	B	BLISTER	round clip 25-26 mm	1/32

* 50 pcs per blister


ROUND CLIPS WITH ASSEMBLED STEEL NAIL - GREY*



EC GT4GW50	GC	BLISTER	round clip 3-4 mm	1/400
EC GT6GW50	GC	BLISTER	round clip 5-6 mm	1/240
EC GT7GW50	GC	BLISTER	round clip 6-7 mm	1/240
EC GT8GW50	GC	BLISTER	round clip 7-8 mm	1/200
EC GT10GW50	GC	BLISTER	round clip 9-10 mm	1/120
EC GT13GW50	GC	BLISTER	round clip 13-14 mm	1/140
EC GT16GW50	GC	BLISTER	round clip 15-16 mm	1/80
EC GT19GW50	GC	BLISTER	round clip 19-20 mm	1/60
EC GT25GW50	GC	BLISTER	round clip 25-26 mm	1/32

* 50 pcs per blister

PLUGS WITH SCREWS



EC TC5	GC	PCS	plug 5 mm	100/6000
EC TC6	GC	PCS	plug 6 mm	100/5000
EC TC8	GC	PCS	plug 8 mm	100/3000
EC TC10	GC	PCS	plug 10 mm	100/1500

NATURAL NYLON CABLE TIES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 8008024	I	PCS	80x2,4	100/5000
EC 8001025	I	PCS	100x2,5	100/5000
EC 8001225	I	PCS	120x2,5	100/5000
EC 8001625	I	PCS	160x2,5	100/5000
EC 8002025	I	PCS	200x2,5	100/5000
EC 8001436	I	PCS	140x3,6	100/5000
EC 8002036	I	PCS	200x3,6	100/5000
EC 8002936	I	PCS	290x3,6	100/5000
EC 8001648	I	PCS	160x4,8	100/5000
EC 8002048	I	PCS	200x4,8	100/5000
EC 8002548	I	PCS	250x4,8	100/5000
EC 8002948	I	PCS	290x4,8	100/4000
EC 8003648	I	PCS	360x4,8	100/3000
EC 8004348	I	PCS	430x4,8	100/3000
EC 8002976	I	PCS	290x7,6	100/2000
EC 8003676	I	PCS	360x7,6	100/2000
EC 8004390	I	PCS	430x9,0	100/1000
EC 8005390	I	PCS	530x9,0	100/1000
EC 8007890	I	PCS	780x9,0	100/500

BLACK NYLON CABLE TIES



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 8108024	N	PCS	80x2,4	100/5000
EC 8101025	N	PCS	100x2,5	100/5000
EC 8101225	N	PCS	120x2,5	100/5000
EC 8101625	N	PCS	160x2,5	100/5000
EC 8102025	N	PCS	200x2,5	100/5000
EC 8101436	N	PCS	140x3,6	100/5000
EC 8102036	N	PCS	200x3,6	100/5000
EC 8102936	N	PCS	290x3,6	100/5000
EC 8101648	N	PCS	160x4,8	100/5000
EC 8102048	N	PCS	200x4,8	100/5000
EC 8102548	N	PCS	250x4,8	100/5000
EC 8102948	N	PCS	290x4,8	100/4000
EC 8103648	N	PCS	360x4,8	100/3000
EC 8104348	N	PCS	430x4,8	100/3000
EC 8102976	N	PCS	290x7,6	100/2000
EC 8103676	N	PCS	360x7,6	100/2000
EC 8104390	N	PCS	430x9,0	100/1000
EC 8105390	N	PCS	530x9,0	100/1000
EC 8107890	N	PCS	780x9,0	100/500

	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
NATURAL 2-WAY ADHESIVE BASES	EC 83036	I	PCS	19x19	100/5000
	EC 83048	I	PCS	27x27	100/5000
BLACK 2-WAY ADHESIVE BASES	EC 84036	N	PCS	19x19	100/5000
	EC 84048	N	PCS	27x27	100/5000
NATURAL SCREW FISSABLE SUPPORTS	EC 85048	I	PCS	15x9,5	100/5000
	EC 85090	I	PCS	22x16	100/5000
BLACK SCREW FISSABLE SUPPORTS	EC 86048	N	PCS	15x9,5	100/5000
	EC 86090	N	PCS	22x16	100/5000
CABLE TIES FOR LABEL	EC 8701025	I	PCS	100x2,5	100/5000
	EC 8702025	I	PCS	200x2,5	100/5000
PLUG FOR CABLE TIES	EC 88085	N	PCS	8 mm	100/5000

PG-THREAD CABLE GLANDS WITHOUT LOCK NUT - GREY - IP68


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 50007	GC	PCS	PG7	50/1200
EC 50009	GC	PCS	PG9	50/1200
EC 50011	GC	PCS	PG11	50/600
EC 50013	GC	PCS	PG13,5	50/600
EC 50016	GC	PCS	PG16	50/300
EC 50021	GC	PCS	PG21	50/300
EC 50029	GC	PCS	PG29	25/150
EC 50036	GC	PCS	PG36	15/90
EC 50042	GC	PCS	PG42	10/60
EC 50048	GC	PCS	PG48	5/30

PG-THREAD CABLE GLANDS WITHOUT LOCK NUT - BLACK - IP68


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 50007N	N	PCS	PG7	50/1200
EC 50009N	N	PCS	PG9	50/1200
EC 50011N	N	PCS	PG11	50/600
EC 50013N	N	PCS	PG13,5	50/600
EC 50016N	N	PCS	PG16	50/300
EC 50021N	N	PCS	PG21	50/300
EC 50029N	N	PCS	PG29	25/150
EC 50036N	N	PCS	PG36	15/90
EC 50042N	N	PCS	PG42	10/60
EC 50048N	N	PCS	PG48	5/30

PG-THREAD CABLE GLANDS WITH LOCK NUT - GREY - IP68


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 51007	GC	PCS	PG7	50/1200
EC 51009	GC	PCS	PG9	50/1200
EC 51011	GC	PCS	PG11	50/600
EC 51013	GC	PCS	PG13,5	50/600
EC 51016	GC	PCS	PG16	50/300
EC 51021	GC	PCS	PG21	50/300
EC 51029	GC	PCS	PG29	25/150
EC 51036	GC	PCS	PG36	15/90
EC 51042	GC	PCS	PG42	10/60
EC 51048	GC	PCS	PG48	5/30

PG-THREAD CABLE GLANDS WITH LOCK NUT - BLACK - IP68


ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 51007N	N	PCS	PG7	50/1200
EC 51009N	N	PCS	PG9	50/1200
EC 51011N	N	PCS	PG11	50/600
EC 51013N	N	PCS	PG13,5	50/600
EC 51016N	N	PCS	PG16	50/300
EC 51021N	N	PCS	PG21	50/300
EC 51029N	N	PCS	PG29	25/150
EC 51036N	N	PCS	PG36	15/90
EC 51042N	N	PCS	PG42	10/60
EC 51048N	N	PCS	PG48	5/30

METRIC THREAD CABLE GLANDS WITH LOCK NUT - GREY - IP68



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 54016	GC	PCS	thread 16x1,5	100/600
EC 54020	GC	PCS	thread 20x1,5	100/600
EC 54025	GC	PCS	thread 25x1,5	50/300
EC 54032	GC	PCS	thread 32x1,5	25/150
EC 54040	GC	PCS	thread 40x1,5	15/90
EC 54050	GC	PCS	thread 50x1,5	10/60

ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING	ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
GASKET FOR PG-THREAD CABLE GLANDS 					PG-THREAD LOCK NUTS 					PG THREADED CAPS 				
EC 53007	GC	PCS	PG7	100/1000	EC 52007	GC	PCS	PG7	50/1000	EC 52207	GC	PCS	PG7	100/1000
EC 53009	GC	PCS	PG9	100/1000	EC 52009	GC	PCS	PG9	50/1000	EC 52209	GC	PCS	PG9	100/1000
EC 53011	GC	PCS	PG11	100/1000	EC 52011	GC	PCS	PG11	50/1000	EC 52211	GC	PCS	PG11	100/1000
EC 53013	GC	PCS	PG13,5	100/1000	EC 52013	GC	PCS	PG13,5	50/1000	EC 52213	GC	PCS	PG13,5	100/1000
EC 53016	GC	PCS	PG16	100/500	EC 52016	GC	PCS	PG16	50/500	EC 52216	GC	PCS	PG16	100/1000
EC 53021	GC	PCS	PG21	100/500	EC 52021	GC	PCS	PG21	50/500	EC 52221	GC	PCS	PG21	100/1000
EC 53029	GC	PCS	PG29	100/500	EC 52029	GC	PCS	PG29	25/500	EC 52229	GC	PCS	PG29	50/500
EC 53036	GC	PCS	PG36	50/500	EC 52036	GC	PCS	PG36	25/500	EC 52236	GC	PCS	PG36	50/500
EC 53042	GC	PCS	PG42	50/500	EC 52042	GC	PCS	PG42	10/500	EC 52242	GC	PCS	PG42	50
EC 53048	GC	PCS	PG48	50/500	EC 52048	GC	PCS	PG48	10/500	EC 52248	GC	PCS	PG48	50
GASKET FOR METRIC THREAD CABLE GLANDS 					METRIC THREAD LOCK NUTS 					METRIC THREADED CAPS 				
EC 53016M	GC	PCS	gasket 16	100/1000	EC 52016M	GC	PCS	lock nut 16	50/500	EC 52312	GC	PCS	thread M 12	100/1000
EC 53020M	GC	PCS	gasket 20	100/1000	EC 52020M	GC	PCS	lock nut 20	50/500	EC 52316	GC	PCS	thread M 16	100/1000
EC 53025M	GC	PCS	gasket 25	100/500	EC 52025M	GC	PCS	lock nut 25	25/500	EC 52320	GC	PCS	thread M 20	100/1000
EC 53032M	GC	PCS	gasket 32	100/500	EC 52032M	GC	PCS	lock nut 32	25/300	EC 52325	GC	PCS	thread M 25	100/1000
EC 53040M	GC	PCS	gasket 40	50/500	EC 52040M	GC	PCS	lock nut 40	10/300	EC 52332	GC	PCS	thread M 32	50/500
EC 53050M	GC	PCS	gasket 50	50/500	EC 52050M	GC	PCS	lock nut 50	10/300	EC 52340	GC	PCS	thread M 40	50/500
										EC 52350	GC	PCS	thread M 50	50
										EC 52363	GC	PCS	thread M 63	50



INSULATING ADHESIVE TAPE - 15 mm x 10 MT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 891010		PCS	Insulating adhesive tape 15x10 - Yellow/ Green	10/200
EC 891011		PCS	Insulating adhesive tape 15x10 - Blue	10/200
EC 891012		PCS	Insulating adhesive tape 15x10 - Red	10/200
EC 891013		PCS	Insulating adhesive tape 15x10 - Grey	10/200
EC 891014		PCS	Insulating adhesive tape 15x10 - White	10/200
EC 891015		PCS	Insulating adhesive tape 15x10 - Black	10/200

INSULATING ADHESIVE TAPE - 19 mm x 25 MT



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 891020		PCS	Insulating adhesive tape 19x25 - Yellow/ Green	10/100
EC 891021		PCS	Insulating adhesive tape 19x25 - Blue	10/100
EC 891022		PCS	Insulating adhesive tape 19x25 - Red	10/100
EC 891023		PCS	Insulating adhesive tape 19x25 - Grey	10/100
EC 891024		PCS	Insulating adhesive tape 19x25 - White	10/100
EC 891025		PCS	Insulating adhesive tape 19x25 - Black	10/100

TRANSPARENT UNIPOLAR TERMINAL BLOCKS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 890010	I	BARS	section 1,5 mmq bars of 10 blocks	10/900
EC 890011	I	BARS	section 2,5 mmq bars of 10 blocks	10/500
EC 890012	I	BARS	section 4 mmq bars of 10 blocks	10/400
EC 890013	I	BARS	section 6 mmq bars of 10 blocks	10/250
EC 890014	I	BARS	section 10 mmq bars of 10 blocks	10/200
EC 890015	I	BARS	section 16 mmq bars of 10 blocks	10/100
EC 890016	I	PCS	section 25 mmq	5/450
EC 890017	I	PCS	section 35 mmq	5/240

MODULAR UNIPOLAR TERMINAL BLOCKS



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 890030	GC	PCS	section 2,5 mmq	10/600
EC 890031	GC	PCS	section 4 mmq	10/600
EC 890032	GC	PCS	section 6 mmq	10/300
EC 890033	GC	PCS	section 10 mmq	10/300
EC 890034	GC	PCS	section 16 mmq	10/200
EC 890035	GC	PCS	section 25/35 mmq	10/120
EC 890036	GC	PCS	section 70 mmq	4/60
EC 890040	GC	PCS	blocking element	10/500

EQUIPOTENTIAL PLATES WITH COVER



ITEM	COLOUR	UM	DESCRIPTION	PACK-AGING
EC 890020	GC	PCS	21 holes	1/40
EC 890021	GC	PCS	12 holes	1/150



ELETTROCANALI S.p.a.
Via Generale Dalla Chiesa, 18
24020 SCANZOROSCIATE (BG) Italia
Tel. +39 035 665077/668264
Fax +39 035 655475/6590705
info@elettrocantali.com

Branch Office:
Via Pianodardine 16/B - 83100 AVELLINO (AV) Italia
Tel. +39 0825 624128/9 - Fax +39 0825 622223
info@elettrocantali-av.com

www.elettrocantali.com

PARTNER SPONSOR



ATALANTA B.C.
FOOTBALL CLUB